ELSEVIER

Aquaculture 148 (1997) 339–363

Aquaculture

Author Index, Volumes 139–148

Abad, M., *see* Pazos, A.J. et al.
Abaurrea-Equisoaín, M.A. and M.V. Ostos-Garrido
Enterocytes in the anterior intestine of *Oncorhynchus mykiss*: Cytological characteristics related to osmoregulation 139 (1996) 109
Abedini, S., *see* Namdari, R. et al.
Abollo, E., *see* Pascual, S. et al.
Acosta, C.P., *see* Pazos, A.J. et al.
Adeyeye, E.I., N.J. Akinyugha, M.E. Fesobi and V.O. Tenabe
Determination of some metals in *Clarias gariepinus* (Cuvier and Vallenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments 147 (1996) 205
Aguila, P., *see* Toro, J.E. et al.
Aidar, E., *see* Lourenço, S.O. et al.
Akamatsu, S., *see* Nagai, K. et al.
Akinyugha, N.J., *see* Adeyeye, E.I. et al.
Aksnes, A., T. Hjertnes and J. Opstvedt
Comparison of two assay methods for determination of nutrient and energy digestibility in fish 140 (1996) 343
Aksnes, A., T. Hjertnes and J. Opstvedt
Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L) 145 (1996) 225
Alanärä, A.
The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production. 145 (1996) 1
Alava, V.R. and A. Kanazawa
Effect of dietary fatty acids on growth of milkfish *Chanos chanos* fry in brackish water . 144 (1996) 363
Albentosa, M., A. Pérez–Camacho, U. Labarta and M.J. Fernández–Reiriz
Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters. 148 (1996) 11
Alix, J.H., *see* Wikfors, G.H. et al.
Allan, G.L., *see* Brown, M.R. et al.
Allen, Jr., S.K., *see* Guo, X. et al.
Alliot, E., *see* Nehr, O. et al.
Almendros, G., *see* Gonzalez-Vila, F.J. et al.
Alpasan, L.G., *see* Duray, M.N. et al.
Álvarez, R., *see* Martínez, I.P. et al.
Alveal, K., H. Romo, C. Werlinger and E.C. Oliveira
Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores 148 (1997) 77
Amat, F., *see* Barata, C. et al.
Amat, F., *see* McEvoy, L.A. et al.
Anderson, T.A., *see* Appleford, P. et al.
Anderson, T.A., *see* Sheikh-Eldin, M. et al.

Andrades, J.A., J. Becerra and P. Fernández-Llebrez
Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.) 141 (1996) 1
Anfossi, P., *see* Malvisi, J. et al.
Angel, D., *see* Neori, A. et al.
Aoki, T., *see* Miyata, M. et al.
Appleford, P. and T.A. Anderson
Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* – effect of inclusion level and adaptation time 148 (1997) 143
AQUACOP, , *see* Cousin, M. et al.
Arai, K., M. Ikeno and R. Suzuki
Erratum to "Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids" [Aquaculture 137 (1995) 131] 143 (1996) 223
Arias, C., *see* Pascual, S. et al.
Arimoto, M., J. Sato, K. Maruyama, G. Mimura and I. Furusawa
Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV) 143 (1996) 15
Arnoux, A., *see* Vacelet, E. et al.
Aviles, J.G.G. and S.A. Shepherd
Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture 140 (1996) 169
Azevedo, C., *see* Glenn, E.P. et al.
Baardvik, B.M., *see* Jørgensen, E.H. et al.
Bacon, J.R., C.M. Gempesaw II, W.W. Lussier and J.W. Dunn
Economic viability and animal health regulation effects on a large scale trout hatchery . . 143 (1996) 245
Baillie, H.J., *see* Dunstan, G.A. et al.
Ballestrazzi, R. and D. Lanari
Growth, body composition and nutrient retention efficiency of growing sea bass (*Dicentrarchus labrax* L.) fed fish oil or fatty acid Ca salts 139 (1996) 101
Banzoussi, B., *see* De Graaf, G. et al.
Barata, C., F. Hontoria and F. Amat
Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects 142 (1996) 171
Barbarino, E., *see* Lourenço, S.O. et al.
Barki, A., T. Levi, A. Shrem and I. Karplus
Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory 148 (1997) 169
Barrett, S.M., *see* Brown, M.R. et al.
Barrett, S.M., *see* Dunstan, G.A. et al.
Basciano, G., *see* Micale, V. et al.
Bautista-Teruel, M.N., *see* Millamena, O.M. et al.
Becerra, J., *see* Andrades, J.A. et al.
Beddow, T.A., L.G. Ross and J.A. Marchant
Predicting salmon biomass remotely using a digital stereo-imaging technique 146 (1996) 189
Bell, J.D., *see* Foyle, T.P. et al.
Bell, M.V., J.R. Dick, M. Thrush and J.C. Navarro
Decreased 20:4$n-6$/20:5$n-3$ ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish 144 (1996) 189
Benzie, J.A.H. and S.T. Williams
Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas* 139 (1996) 225
Beraldo, P., *see* Tibaldi, E. et al.
Berg, A.J., T. Sigholt, A. Seland and A. Danielsberg
Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*) 143 (1996) 43

Berge, G.M. and T. Storebakken
Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry 145 (1996) 205
Bergeron, P., *see* Fréchette, M. et al.
Björnsson, B. and S.V. Tryggvadóttir
Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.) 142 (1996) 33
Blancheton, J.-P., *see* Nehr, O. et al.
Blankenship, L., *see* Godin, D.M. et al.
Blazer, V.S., *see* Klinger, R.E.C. et al.
Blom, J.H. and K. Dabrowski
Ascorbic acid metabolism in fish: is there a maternal effect on the progeny? 147 (1996) 215
Boettcher, A.A., C. Dyer, J. Casey and N.M. Targett
Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale 148 (1997) 247
Boeuf, G., *see* Seddiki, H. et al.
Bolaños, A., *see* Rodríguez, C. et al.
Boonsaeng, V., *see* Wongteerasupaya, C. et al.
Borgsteede, F.H.M., *see* Haenen, O.L.M. et al.
Borlinghaus, M., *see* Halwart, M. et al.
Boujard, T., M. Jourdan, M. Kentouri and P. Divanach
Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass 139 (1996) 117
Boujard, T., *see* Paspatis, M. et al.
Boulo, V., *see* Noel, T. et al.
Bourdillon, A., *see* Chatain, B. et al.
Bourget, E., *see* Harvey, M. et al.
Bourget, E., *see* Miron, G. et al.
Bourget, E., *see* Pearce, C.M. et al.
Bowden, T.J., *see* Bricknell, I.R. et al.
Boyd, C.E., *see* Neori, A. et al.
Braña, F., *see* Ojanguren, A.F. et al.
Breine, J.J., *see* Nguenga, D. et al.
Bricknell, I.R., D.W. Bruno, T.J. Bowden and P. Smith
Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L.. . . . . 144 (1996) 65
Britz, P.J.
Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets. 140 (1996) 55
Britz, P.J.
The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae* 140 (1996) 63
Britz, P.J., *see* Knauer, J. et al.
Brown, J., *see* Metusalach,. 142 (1996) 99
Brown, J.A., *see* Evans, R.P. et al.
Brown, M.R., S.M. Barrett, J.K. Volkman, S.P. Nearhos, J.A. Nell and G.L. Allan
Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture 143 (1996) 341
Brown, P.B., *see* Riche, M. et al.
Bruno, D.W., *see* Bricknell, I.R. et al.
Bunn, S.E., *see* Preston, N.P. et al.
Burke, C.M., *see* Soltani, M. et al.
Bury, N.R., *see* Fuentes, J. et al.
Caceci, T., C.B. Carlson, T.E. Toth and S.A. Smith
In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization 147 (1996) 169

Cahu, C.L., *see* Zambonino Infante, J.L. et al.
Camara, M.R., *see* Coutteau, P. et al.
Capinpin Jr, E.C. and K.G. Corre
Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae 144 (1996) 81
Capone, D.G., D.P. Weston, V. Miller and C. Shoemaker
Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture 145 (1996) 55
Carefoot, T.H., *see* Taylor, B.E. et al.
Carline, R.F., *see* Likongwe, J.S. et al.
Carlson, C.B., *see* Caceci, T. et al.
Carmona-Osalde, C., M.A. Olvera-Novoa, M. Rodríguez-Serna and A. Flores-Nava
Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio 141 (1996) 223
Carr, W.H., J.N. Sweeney, L. Nunan, D.V. Lightner, H.H. Hirsch and J.J. Reddington
The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock 147 (1996) 1
Carr, W.H., *see* Godin, D.M. et al.
Carroll, S., *see* Fuentes, J. et al.
Casey, J., *see* Boettcher, A.A. et al.
Castell, L.L., W. Naviti and F. Nguyen
Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments. 144 (1996) 91
Cauty, C., *see* Tacon, P. et al.
Cech Jr., J.J., *see* Crocker, C.E. et al.
Cejas, J., *see* Ibeas, C. et al.
Cejas, J.R., *see* Rodríguez, C. et al.
Cerenius, L., *see* Diéguez-Uribeondo, J. et al.
Chaparro, O.R., *see* Wilson, J.A. et al.
Chatain, B., L. Debas and A. Bourdillon
A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use 141 (1996) 83
Chatzifotis, S., T. Takeuchi and T. Seikai
The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine 147 (1996) 235
Chavez, R.C., *see* Tan-Fermin, J.D. et al.
Chen, J.-C. and C.-T. Kou
Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels 144 (1996) 155
Chen, J.-C. and T.-T. Kou
Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii* 145 (1996) 295
Chen, J.-C., K.-W. Chen and J.-M. Chen
Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles 144 (1996) 165
Chen, J.-M., *see* Chen, J.-C. et al.
Chen, K.-W., *see* Chen, J.-C. et al.
Chennubhotla, V.S.K., *see* Kaladharan, P. et al.
Chikafumbwa, F.J.K.
The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs. 146 (1996) 101
Chou, B.-S. and S.-Y. Shiau
Optimal dietary lipid level for growth of juvenile hybrid tilapia, *Oreochromis niloticus* × *Oreochromis aureus* 143 (1996) 185

Chou, Y.-H., *see* Leu, M.-Y. et al.
Coetzee, P.S., *see* Nel, R. et al.
Comps, M., M. Trindade and Cl. Delsert
Investigation of fish encephalitis viruses (FEV) expression in marine fishes using DIG-labelled probes 143 (1996) 113
Conget, P., M. Fernández, G. Herrera and J.J. Minguell
Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using programmable freezing 143 (1996) 319
Coote, T.A., P.W. Hone, R. Kenyon and G.B. Maguire
The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Haliotis laevigata* 145 (1996) 267
Cordero, B., *see* Fábregas, J. et al.
Cornelissen, J.B.J.W., *see* Haenen, O.L.M. et al.
Corre, K.G., *see* Capinpin Jr, E.C. et al.
Cotner, J.B., *see* Suplee, M.W. et al.
Cousin, M., G. Cuzon, J. Guillaume and AQUACOP
Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin 140 (1996) 361
Coutteau, P., M.R. Camara and P. Sorgeloos
The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei* 147 (1996) 261
Cox, D., *see* Marsden, M.J. et al.
Coyle, S.D., *see* Tidwell, J.H. et al.
Coyne, R., *see* Kerry, J. et al.
Coyne, R., *see* Vaughan, S. et al.
Crespo, S., *see* Padrós, F. et al.
Crocker, C.E. and J.J. Cech Jr.
The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus* 147 (1996) 293
Cross, T., *see* Galvin, P. et al.
Cui, Y., *see* Lin, J.-H. et al.
Culloty, S.C. and M.F. Mulcahy
Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland 144 (1996) 53
Cuzon, G., *see* Cousin, M. et al.
D'Abramo, L.R., *see* Tidwell, J.H. et al.
Dabrowski, K., *see* Blom, J.H. et al.
Dagdagan, D., *see* Ostrowski, A.C. et al.
Daly, P., *see* Tully, O. et al.
Daniels, W.H., *see* Tidwell, J.H. et al.
Danielsberg, A., *see* Berg, A.J. et al.
Dashorst, M., *see* Norton, J.H. et al.
Dato-Cajegas, C.R.S. and A. Yakupitiyage
The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive system 144 (1996) 227
Davis, P.J., *see* Evans, R.P. et al.
Davison, P.J., *see* Neori, A. et al.
Deady, S., *see* Tully, O. et al.
DeAnda, D., *see* Qin, J. et al.
Debas, L., *see* Chatain, B. et al.
DeBrosse, G.A., *see* Guo, X. et al.

De Graaf, G., F. Galemoni and B. Banzoussi
Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscuris*. I. A biological analysis 146 (1996) 85
Deguchi, Y., *see* Sugita, H. et al.
de la Noüe, J., *see* Gawlicka, A. et al.
della Rocca, G., *see* Malvisi, J. et al.
Del Rio, J.C., *see* Gonzalez-Vila, F.J. et al.
Delsert, Cl., *see* Comps, M. et al.
Desbruyères, E., *see* Dosdat, A. et al.
De Silva, S.S., *see* Sheikh-Eldin, M. et al.
Diana, J.S., *see* Yi, Y. et al.
Dick, J.R., *see* Bell, M.V. et al.
Diéguez-Uribeondo, J., L. Cerenius and K. Söderhäll
Physiological characterization of *Saprolegnia parasitica* isolates from brown trout 140 (1996) 247
Diemar, J.A., *see* Nell, J.A. et al.
Dineen, T., *see* Pursell, L. et al.
Divanach, P., *see* Boujard, T. et al.
Dobson, D.P., *see* Roth, M. et al.
Dobson, G. and C.L. Lee
Improved method of determining the sex of the marine topshell, *Trochus niloticus* (Mollusca: Gastropoda) for spawning 139 (1996) 329
Donaldson, E.M., *see* Taylor, B.E. et al.
Donlon, J., *see* Mai, K. et al.
Donovan, D.A., *see* Taylor, B.E. et al.
Doroshov, S.I., *see* Van Eenennaam, A.L. et al.
Dosdat, A., F. Servais, R. Métailler, C. Huelvan and E. Desbruyères
Comparison of nitrogenous losses in five teleost fish species 141 (1996) 107
Dubost, N., G. Masson and J.-C. Moreteau
Temperate freshwater fouling on floating net cages: method of evaluation, model and composition 143 (1996) 303
Dunn, J.W., *see* Bacon, J.R. et al.
Dunstan, G.A., H.J. Baillie, S.M. Barrett and J.K. Volkman
Effect of diet on the lipid composition of wild and cultured abalone 140 (1996) 115
Duray, M.N., C.B. Estudillo and L.G. Alpasan
The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae 146 (1996) 217
Dvir, O., *see* Neori, A. et al.
Dyer, C., *see* Boettcher, A.A. et al.
Easterling, M.R., *see* Ellner, S. et al.
Echevarria, C., *see* Klinger, R.E.C. et al.
Eddy, F.B., *see* Fuentes, J. et al.
Elema, M.O., K.A. Hoff and H.G. Kristensen
Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater 143 (1996) 7
Eliassen,, R., *see* Jørgensen, E.H. et al.
Ellner, S., A. Neori, M.D. Krom, K. Tsai and M.R. Easterling
Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model 143 (1996) 167
Ellner, S.P., *see* Neori, A. et al.
Ernst, S., *see* Sievers, G. et al.
Estévez, J.M., *see* Pascual, S. et al.
Estudillo, C.B., *see* Duray, M.N. et al.
Evans, L.H., *see* Sudaryono, A. et al.

Evans, R.P., C.C. Parrish, J.A. Brown and P.J. Davis
Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*) 139 (1996) 139
Fábregas, J., A. Otero, E. Morales, B. Cordero and M. Patiño
Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia* 143 (1996) 197
Fan, L., *see* Wang, J.-Q. et al.
Fast, A.W., *see* Qin, J. et al.
Fast, A.W., *see* Qin, J. et al.
Fernandez, F., *see* Guinea, J. et al.
Fernández-Llebrez, P., *see* Andrades, J.A. et al.
Fernández, M., *see* Conget, P. et al.
Fernández-Palacios, H., M. Izquierdo, L. Robaina, A. Valencia, M. Salhi and D. Montero
The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*) 148 (1997) 233
Fernández–Reiriz, M.J., *see* Albentosa, M. et al.
Fesobi, M.E., *see* Adeyeye, E.I. et al.
Fields, R.C., *see* Oakes, F.R. et al.
Fiogbé, E.D., P. Kestemont, C. Mélard and J.C. Micha
The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis* . . 144 (1996) 239
Fitzsimmons, K., *see* Glenn, E.P. et al.
Fjalestad, K.T., H.J.S. Larsen and K.H. Røed
Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival 145 (1996) 77
Flegel, T.W., *see* Wongteerasupaya, C. et al.
Fleming, A.E. and P.W. Hone
Abalone Aquaculture 140 (1996) 1
Fleming, A.E., R.J. Van Barneveld and P.W. Hone
The development of artificial diets for abalone: A review and future directions 140 (1996) 5
Flores-Nava, A., *see* Carmona-Osalde, C. et al.
Forteath, G.N.R., *see* Pankhurst, N.W. et al.
Foyle, T.P., J.D. Bell, M. Gervis and I. Lane
Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands 148 (1997) 85
Frazer, A.W., *see* Heasman, M.P. et al.
Fréchette, M., P. Bergeron and P. Gagnon
On the use of self-thinning relationships in stocking experiments 145 (1996) 91
Freedman, A., *see* Friedlander, M. et al.
Freeman, L.C., *see* Marsden, M.J. et al.
Frerichs, G.N.
In vitro culture of embryonic cells from the freshwater prawn *Macrobrachium rosenbergii* 143 (1996) 227
Friedlander, M., N. Weintraub, A. Freedman, J. Sheer, Z. Snovsky, J. Shapiro and G.Wm. Kissil
Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture 145 (1996) 113
Fuentes, J., N.R. Bury, S. Carroll and F.B. Eddy
Drinking in Atlantic salmon presmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge . . 141 (1996) 129
Furusawa, I., *see* Arimoto, M. et al.
Gabaudan, J., *see* Verlhac, V. et al.
Gaffney, P.M., V.P. Rubin, D. Hedgecock, D.A. Powers, G. Morris and L. Hereford
Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California 143 (1996) 257

Gagné, N., *see* Harvey, M. et al.
Gagnon, P., *see* Fréchette, M. et al.
Galemoni, F., *see* De Graaf, G. et al.
Gall, G.A.E., *see* Su, G.-S. et al.
Galvin, P., D. McGregor and T. Cross
Erratum to "A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species" [Aquaculture 137 (1995) 31] 143 (1996) 219
García-Esquivel, Z., *see* Viana, M.T. et al.
Garcia-Ruiz, R. and G.H. Hall
Phosphorus fractionation and mobility in the food and faeces of hatchery reared rainbow trout (*Onchorhynchus mykiss*) 145 (1996) 183
García-Vázquez, E., *see* Morán, P. et al.
Gatlin III, D.M., *see* Gaylord, T.G. et al.
Gawlicka, A., L. McLaughlin, S.S.O. Hung and J. de la Noüe
Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae 141 (1996) 245
Gaylord, T.G. and D.M. Gatlin III
Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*) 139 (1996) 303
Gempesaw II, C.M., *see* Bacon, J.R. et al.
Gervis, M., *see* Foyle, T.P. et al.
Gestal, C., *see* Pascual, S. et al.
Gesteira, T.C.V., *see* Nunes, A.J.P. et al.
Gilroy, D., *see* Kerry, J. et al.
Gingerich, W.H., *see* Meinertz, J.R. et al.
Giorgetti, G., *see* Malvisi, J. et al.
Gissis, A., *see* Mylonas, C.C. et al.
Glenn, E.P., D. Moore, K. Fitzsimmons and C. Azevedo
Spore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta) 142 (1996) 59
Goddard, S., *see* Nunes, A.J.P. et al.
Godin, D.M., W.H. Carr, G. Hagino, F. Segura, J.N. Sweeney and L. Blankenship
Evaluation of a fluorescent elastomer internal tag in juvenile and adult shrimp *Penaeus vannamei* 139 (1996) 243
Goggin, C.L.
Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef 141 (1996) 25
Golez, N.V., *see* Peñaflorida, V.D. et al.
Gómez, T., *see* Ibeas, C. et al.
Gonzalez, J. and I. Meneses
Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile . . . 143 (1996) 91
Gonzalez-Vila, F.J., A. Mancha, G. Almendros, F. Martin and J.C. Del Rio
Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment 144 (1996) 121
Gooley, G., *see* Sheikh-Eldin, M. et al.
Gordin, H., *see* Neori, A. et al.
Gorfine, H.K., *see* King, R.H. et al.
Gosh, P., *see* Wikfors, G.H. et al.
Goswami, U.C., *see* Storebakken, T. et al.
Grant, A., *see* Treasurer, J.W. et al.
Grisdale-Helland, B., *see* Helland, S.J. et al.
Groff, J.M., *see* LaPatra, S.E. et al.
Guerra, A., *see* Saavedra, C. et al.
Guillaume, J., *see* Cousin, M. et al.

Guinea, J. and F. Fernandez
Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata* 148 (1997) 125
Gunasekera, R.M., K.F. Shim and T.J. Lam
Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus* 146 (1996) 121
Gunasekera, R.M., K.F. Shim and T.J. Lam
Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.) 146 (1996) 245
Guo, M.-x., *see* Thompson, P.A. et al.
Guo, X., G.A. DeBrosse and S.K. Allen, Jr.
All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids 142 (1996) 149
Gydemo, R.
Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus* 148 (1996) 1
Haenen, O.L.M., T.A.M. van Wijngaarden, M.H.T. van der Heijden, J. Höglund, J.B.J.W. Cornelissen, L.A.M.G. van Leengoed, F.H.M. Borgsteede and W.B. van Muiswinkel
Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidea) on European eel (*Anguilla anguilla*). 141 (1996) 41
Hagen, N.T.
Tagging sea urchins: a new technique for individual identification. 139 (1996) 271
Hagino, G., *see* Godin, D.M. et al.
Hall, G.H., *see* Garcia-Ruiz, R. et al.
Halwart, M., M. Borlinghaus and G. Kaule
Activity pattern of fish in rice fields 145 (1996) 159
Harada, K., T. Miyasaki, S. Kawashima and H. Shiota
Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus* 140 (1996) 99
Hardy, R.W., *see* Kim, J. et al.
Harrison, P.J., *see* Thompson, P.A. et al.
Hart, P., *see* Nichols, D.S. et al.
Hart, P.R. and G.J. Purser
Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period 145 (1996) 171
Hart, P.R., W.G. Hutchinson and G.J. Purser
Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862) 144 (1996) 303
Harvey, M., E. Bourget and N. Gagné
Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material 148 (1997) 277
Hatcher, B.G., *see* Kleinman, S. et al.
Heasman, M.P., W.A. O'Connor and A.W. Frazer
Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve 143 (1996) 75
Heasman, M.P., *see* Nell, J.A. et al.
Hecht, T., *see* Knauer, J. et al.
Hecht, T., *see* White, H.I. et al.
Hedgecock, D., *see* Gaffney, P.M. et al.
Helland, S.J., B. Grisdale-Helland and S. Nerland
A simple method for the measurement of daily feed intake of groups of fish in tanks . . . 139 (1996) 157
Hendrickx, M.E., J. Salgado-Barragán and M.A. Meda-Martínez
Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico. 143 (1996) 61

Hennigar, A.W., *see* Kleinman, S. et al.
Hereford, L., *see* Gaffney, P.M. et al.
Herráez, M.P., *see* Martínez, I.P. et al.
Herrera, G., *see* Conget, P. et al.
Hiney, M., *see* Kerry, J. et al.
Hirose, K., *see* Ohta, H. et al.
Hirsch, H.H., *see* Carr, W.H. et al.
Hjertnes, T., *see* Aksnes, A. et al.
Ho, J.M., *see* Ng, W.J. et al.
Hoff, K.A., *see* Elema, M.O. et al.
Höglund, J., *see* Haenen, O.L.M. et al.
Hole, R., *see* Verlhac, V. et al.
Hone, P.W., *see* Coote, T.A. et al.
Hone, P.W., *see* Fleming, A.E. et al.
Honjo, T., *see* Nagai, K. et al.
Hontoria, F., *see* Barata, C. et al.
Hontoria, F., *see* McEvoy, L.A. et al.
Hosokawa, H., *see* Masumoto, T. et al.
Howe, G.E., *see* Schreier, T.M. et al.
Huelvan, C., *see* Dosdat, A. et al.
Hung, S.S.O., *see* Gawlicka, A. et al.
Hung, S.S.O., *see* Lin, J.-H. et al.
Huntingford, F.A., *see* Kadri, S. et al.
Hutchinson, W.G., *see* Hart, P.R. et al.
Ibeas, C., J. Cejas, T. Gómez, S. Jerez and A. Lorenzo
Influence of dietary $n-3$ highly unsaturated fatty acids levels on juvenile gilthead seabream (*Sparus aurata*) growth and tissue fatty acid composition 142 (1996) 221
Ikeno, M., *see* Arai, K. et al.
Inglis, V., *see* Miyata, M. et al.
Innes-Taylor, N., *see* Little, D.C. et al.
Inostroza, R., *see* Sievers, G. et al.
Inoue, K., *see* Kinoshita, M. et al.
Ishimura, M., *see* Nagai, K. et al.
Ito, Y., *see* Masumoto, T. et al.
Iwai, T., *see* Ostrowski, A.C. et al.
Izawa, T., *see* Ohta, H. et al.
Izquierdo, M., *see* Fernández-Palacios, H. et al.
Izquierdo, M.S., *see* Kolkovski, S. et al.
Izquierdo, M.S., *see* Rodríguez, C. et al.
Jalabert, B., *see* Tacon, P. et al.
Jarayabhand, P. and N. Paphavasit
A review of the culture of tropical abalone with special reference to Thailand 140 (1996) 159
Jeong, H.D., *see* Park, K.H. et al.
Jerez, S., *see* Ibeas, C. et al.
Ji, M.F., *see* Nie, Z.Q. et al.
Jobling, M., *see* Jørgensen, E.H. et al.
Jónasson, J.
Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of grilse to total return 144 (1996) 277
Jones, G.R., *see* LaPatra, S.E. et al.
Jones, T.C. and R.J.G. Lester
Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions 143 (1996) 233

Jørgensen, E.H., B.M. Baardvik, R. Eliassen, and M. Jobling
Food acquisition and growth of juvenile Atlantic salmon (*Salmo salar*) in relation to spatial distribution of food 143 (1996) 277
Jourdan, M., *see* Boujard, T. et al.
Juinio-Meñez, M.A. and J. Ruinata
Survival, growth and food conversion efficiency of *Panulirus ornatus* following eyestalk ablation 146 (1996) 225
Kadri, S., D.F. Mitchell, N.B. Metcalfe, F.A. Huntingford and J.E. Thorpe
Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar* 142 (1996) 245
Kadri, S., F.A. Huntingford, N.B. Metcalfe and J.E. Thorpe
Social interactions and the distribution of food among one-sea-winter Atlantic salmon (*Salmo salar*) in a sea-cage 139 (1996) 1
Kagawa, H., *see* Ohta, H. et al.
Kaladharan, P., K. Vijayakumaran and V.S.K. Chennubhotla
Optimization of certain physical parameters for the mariculture of *Gracilaria edulis* (Gmelin) Silva in Minicoy lagoon (Laccadive Archipelago) 139 (1996) 265
Kanazawa, A., *see* Alava, V.R. et al.
Kanazawa, A., *see* Millamena, O.M. et al.
Karplus, I., *see* Barki, A. et al.
Karunasagar, I., S.K. Otta and I. Karunasagar
Biofilm formation by *Vibrio harveyi* on surfaces 140 (1996) 241
Karunasagar, I., *see* Karunasagar, I. et al.
Kaule, G., *see* Halwart, M. et al.
Kaviraj, A., *see* Saha, N.C. et al.
Kawashima, S., *see* Harada, K. et al.
Kellaway, D.M., *see* Preston, N.P. et al.
Kentouri, M., *see* Boujard, T. et al.
Kenyon, R., *see* Coote, T.A. et al.
Kerr, M., *see* King, R.H. et al.
Kerry, J., M. Slattery, S. Vaughan and P. Smith
The importance of bacterial multiplication in the selection, by oxytetracycline–HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms 144 (1996) 103
Kerry, J., R. Coyne, D. Gilroy, M. Hiney and P. Smith
Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy 145 (1996) 31
Kerry, J., *see* Pursell, L. et al.
Kestemont, P., *see* Fiogbé, E.D. et al.
Kho, K., *see* Ng, W.J. et al.
Kim, J., K.C. Massee and R.W. Hardy
Adult *Artemia* as food for first feeding coho salmon (*Oncorhynchus kisutch*) 144 (1996) 217
King, R.H., C.J. Rayner, M. Kerr, H.K. Gorfine and P.E. McShane
The composition and amino acid balance of abalone (*Haliotis rubra*) tissue 140 (1996) 109
Kingsbury, S.K., *see* Tucker, C.S. et al.
Kinoshita, M., H. Toyohara, M. Sakaguchi, K. Inoue, S. Yamashita, M. Satake, Y. Wakamatsu and K. Ozato
A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene 143 (1996) 267
Kissil, G.Wm., *see* Friedlander, M. et al.
Klebanov, Y., *see* Mylonas, C.C. et al.
Kleinman, S., B.G. Hatcher, R.E. Scheibling, L.H. Taylor and A.W. Hennigar
Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia 142 (1996) 75

Klinger, R.E.C., V.S. Blazer and C. Echevarria
Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus* 147 (1996) 225
Knauer, J. and P.C. Southgate
Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat 146 (1996) 135
Knauer, J., P.J. Britz and T. Hecht
Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet 140 (1996) 75
Kolkovski, S., A. Tandler and M.S. Izquierdo
Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae 148 (1997) 313
Komaru, A., *see* Wada, K.T. et al.
Kou, C.-T., *see* Chen, J.-C. et al.
Kou, T.-T., *see* Chen, J.-C. et al.
Kristensen, H.G., *see* Elema, M.O. et al.
Krom, M.D., *see* Ellner, S. et al.
Krom, M.D., *see* Neori, A. et al.
Kruse, C., B. Strehlow, H. Schmidt and P.K. Müller
Presence of trypsin in distinctive body segments of leptocephalus larvae of Anguilliformes 142 (1996) 237
Kubitza, F. and L.L. Lovshin
Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets 148 (1997) 179
Kubitza, F. and L.L. Lovshin
The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies 148 (1997) 299
Kubitza, F., L.L. Lovshin and R.T. Lovell
Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides* . . 148 (1997) 191
Kurokawa, T. and T. Suzuki
Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus* 141 (1996) 267
Kuz'mina, V.V.
Influence of age on digestive enzyme activity in some freshwater teleosts 148 (1996) 25
Labarta, U., *see* Albentosa, M. et al.
Labbé, C. and G. Maisse
Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane 145 (1996) 281
Lahnsteiner, F., T. Weismann and R. Patzner
Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*) 144 (1996) 265
Lam, T.J., *see* Gunasekera, R.M. et al.
Lan, C.-W., *see* Shiau, S.-Y. et al.
Lanari, D., *see* Ballestrazzi, R. et al.
Lane, I., *see* Foyle, T.P. et al.
Lanfer Marquez, U.M., *see* Lourenço, S.O. et al.
Langdon, C.J. and A.M. Robinson
Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*. Fugita 1913) . . . 144 (1996) 321
Lansky, T.M., *see* Norton, J.H. et al.
LaPatra, S.E., K.A. Lauda, G.R. Jones, W.D. Shewmaker, J.M. Groff and D. Routledge
Susceptibility and humoral response of brown trout × lake trout hybrids to infectious hematopoietic necrosis virus: a model for examining disease resistance mechanisms . 146 (1996) 179
Larsen, H.J.S., *see* Fjalestad, K.T. et al.
Lauda, K.A., *see* LaPatra, S.E. et al.
Law, F.C.P., *see* Namdari, R. et al.

Le Coz, J.R., *see* Soudant, P. et al.
Lee, C.L., *see* Dobson, G. et al.
Lee, G.W.Y. and M.K. Litvak
Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency 144 (1996) 251
Le Gall, M.M., *see* Zambonino Infante, J.L. et al.
Le Menn, F., *see* Tacon, P. et al.
Lester, R.J.G., *see* Jones, T.C. et al.
Leu, M.-Y. and Y.-H. Chou
Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttuyn) 143 (1996) 155
Levi, T., *see* Barki, A. et al.
Lewin, R.A., *see* Wikfors, G.H. et al.
Li, M.H. and E.H. Robinson
Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets 146 (1996) 237
Li, M.H., H.R. Robinette and E.H. Robinson
Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*) 147 (1996) 107
Lightner, D.V., *see* Carr, W.H. et al.
Likongwe, J.S., T.D. Stecko, J.R. Stauffer, Jr. and R.F. Carline
Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linneaus) 146 (1996) 37
Liljedahl, L.-E., *see* Su, G.-S. et al.
Lin, C.K., *see* Shrestha, M.K. et al.
Lin, C.K., *see* Yi, Y. et al.
Lin, J.-H., Y. Cui, S.S.O. Hung and S.-Y. Shiau
Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*) 148 (1997) 201
Little, D.C., P. Surintaraseree and N. Innes-Taylor
Fish culture in rainfed rice fields of northeast Thailand 140 (1996) 295
Litvak, M.K., *see* Lee, G.W.Y. et al.
Lobos, C., *see* Sievers, G. et al.
Loch, D.D., J.L. West and D.G. Perlmutter
The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates . . . 147 (1996) 37
López, L.M., *see* Viana, M.T. et al.
Lorenzen, K.
A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with an application to common carp (*Cyprinus carpio*) 142 (1996) 191
Lorenzo, A., *see* Ibeas, C. et al.
Lorenzo, A., *see* Rodríguez, C. et al.
Lourenço, S.O., U.M. Lanfer Marquez, J. Mancini-Filho, E. Barbarino and E. Aidar
Changes in biochemical profile of *Tetraselmis gracilis* I. Comparison of two culture media 148 (1997) 153
Lovell, R.T., *see* Kubitza, F. et al.
Lovshin, L.L., *see* Kubitza, F. et al.
Ludwig, G.M.
Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems 144 (1996) 177
Lui, H., *see* Wang, J.-Q. et al.
Lussier, W.W., *see* Bacon, J.R. et al.

Lysaght, S., *see* Tully, O. et al.
MacDonald, B.A., *see* Miron, G. et al.
Magnus, Y., *see* Mylonas, C.C. et al.
Maguire, G.B., *see* Coote, T.A. et al.
Mai, K., J.P. Mercer and J. Donlon
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition 139 (1996) 77
Maisse, G., *see* Labbé, C. et al.
Malvisi, J., G. della Rocca, P. Anfossi and G. Giorgetti
Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration 147 (1996) 159
Mancha, A., *see* Gonzalez-Vila, F.J. et al.
Mancini-Filho, J., *see* Lourenço, S.O. et al.
Marchant, J.A., *see* Beddow, T.A. et al.
Marsden, M.J., L.C. Freeman, D. Cox and C.J. Secombes
Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis 146 (1996) 1
Marsh, L.S., *see* Singh, S. et al.
Martin, F., *see* Gonzalez-Vila, F.J. et al.
Martín, J.B., *see* Ruiz-Azcona, P. et al.
Martínez, I.P., R. Álvarez and M.P. Herráez
Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density . . 142 (1996) 163
Marty, Y., *see* Soudant, P. et al.
Maruyama, K., *see* Arimoto, M. et al.
Massee, K.C., *see* Kim, J. et al.
Masson, G., *see* Dubost, N. et al.
Masumoto, T., T. Ruchimat, Y. Ito, H. Hosokawa and S. Shimeno
Amino acid availability values for several protein sources for yellowtail (*Seriola quinqueradiata*) 146 (1996) 109
Matsuyama, Y., *see* Nagai, K. et al.
Maxime, V., *see* Seddiki, H. et al.
Maximovich, N.V., A.A. Sukhotin and Yu.S. Minichev
Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea) 147 (1996) 191
Mayer, R.J., *see* Norton, J.H. et al.
McEvoy, L.A., J.C. Navarro, F. Hontoria, F. Amat and J.R. Sargent
Two novel *Artemia* enrichment diets containing polar lipid 144 (1996) 339
McGoogan, B.B. and R.C. Reigh
Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets . . 141 (1996) 233
McGregor, D., *see* Galvin, P. et al.
McLaughlin, L., *see* Gawlicka, A. et al.
McLean, E., *see* Taylor, B.E. et al.
McMeekin, T.A., *see* Nichols, D.S. et al.
McShane, P.E., *see* King, R.H. et al.
Meda-Martínez, M.A., *see* Hendrickx, M.E. et al.
Medina, A., Y. Vila, G. Mourente and A. Rodríguez
A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775) 148 (1996) 63
Medrano, J.F., *see* Van Eenennaam, A.L. et al.
Meinertz, J.R., G.R. Stehly and W.H. Gingerich
Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing 148 (1996) 39
Mélard, C., *see* Fiogbé, E.D. et al.

Mendez, E., *see* Viana, M.T. et al.
Meneses, I., *see* Gonzalez, J. et al.
Mercer, J.P., *see* Mai, K. et al.
Merican, Z.O. and K.F. Shim
Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*. 147 (1996) 275
Métailler, R., *see* Dosdat, A. et al.
Metcalfe, N.B., *see* Kadri, S. et al.
Metusalach, , J. Synowiecki, J. Brown and F. Shahidi
Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.). 142 (1996) 99
Mialhe, E., *see* Noel, T. et al.
Miao, H.-Z., *see* Tong, S.-l. et al.
Micale, V., F. Perdichizzi and G. Basciano
Aspects of the reproductive biology of the sharpsnout seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life 140 (1996) 281
Micha, J.C., *see* Fiogbé, E.D. et al.
Millamena, O.M., M.N. Bautista-Teruel and A. Kanazawa
Methionine requirement of juvenile tiger shrimp *Penaeus monodon* Fabricius 143 (1996) 403
Miller, V., *see* Capone, D.G. et al.
Mimura, G., *see* Arimoto, M. et al.
Minguell, J.J., *see* Conget, P. et al.
Minichev, Yu.S., *see* Maximovich, N.V. et al.
Miron, G., J.E. Ward, B.A. MacDonald and E. Bourget
Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy. 147 (1996) 71
Mita, J., *see* Sugita, H. et al.
Mitchell, D.F., *see* Kadri, S. et al.
Miyasaki, T., *see* Harada, K. et al.
Miyata, M., V. Inglis and T. Aoki
Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction 141 (1996) 13
Moal, J., *see* Soudant, P. et al.
Moksness, E., *see* Pavlov, D.M. et al.
Monahan, S., *see* Ostrowski, A.C. et al.
Montaño, M. and J.C. Navarro
Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador 142 (1996) 259
Montero, D., *see* Fernández-Palacios, H. et al.
Moore, D., *see* Glenn, E.P. et al.
Morales, E., *see* Fábregas, J. et al.
Morán, P., A.M. Pendás and E. García-Vázquez
Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.) populations from Spain. 141 (1996) 59
Moreteau, J.-C., *see* Dubost, N. et al.
Morris, G., *see* Gaffney, P.M. et al.
Mourente, G., *see* Medina, A. et al.
Mourente, G., *see* Tocher, D.R. et al.
Mulcahy, M.F., *see* Culloty, S.C. et al.
Müller, P.K., *see* Kruse, C. et al.
Munday, B.L., *see* Soltani, M. et al.
Murakawa, P., *see* Ostrowski, A.C. et al.
Mylonas, C.C., Y. Magnus, A. Gissis, Y. Klebanov and Y. Zohar
Application of controlled-release, GnRHa-delivery systems in commercial production of white bass × striped bass hybrids (sunshine bass), using captive broodstocks 140 (1996) 265

Nagai, K., Y. Matsuyama, T. Uchida, M. Yamaguchi, M. Ishimura, A. Nishimura, S. Akamatsu and T. Honjo
Toxicity and LD_{50} levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters 144 (1996) 149
Nagayama, T., *see* Samet, M. et al.
Nakamura, K., *see* Samet, M. et al.
Namdari, R., S. Abedini and F.C.P. Law
Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment 144 (1996) 27
Nash, G.L., *see* Wongteerasupaya, C. et al.
Navarro, J.C., *see* Bell, M.V. et al.
Navarro, J.C., *see* McEvoy, L.A. et al.
Navarro, J.C., *see* Montaño, M. et al.
Naviti, W., *see* Castell, L.L. et al.
Ndiaye, P., *see* Tacon, P. et al.
Nearhos, S.P., *see* Brown, M.R. et al.
Nehr, O., J.-P. Blancheton and E. Alliot
Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures 142 (1996) 43
Nel, R., P.S. Coetzee and G. Van Niekerk
The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg) 141 (1996) 31
Nell, J.A., A.K. Sheridan and I.R. Smith
Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program 144 (1996) 295
Nell, J.A., J.A. Diemar and M.P. Heasman
Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat 145 (1996) 235
Nell, J.A., *see* Brown, M.R. et al.
Nell, J.A., *see* Sheridan, A.K. et al.
Neori, A., M.D. Krom, S.P. Ellner, C.E. Boyd, D. Popper, R. Rabinovitch, P.J. Davison, O. Dvir, D. Zuber, M. Ucko, D. Angel and H. Gordin
Seaweed biofilters as regulators of water quality in integrated fish–seaweed culture units 141 (1996) 183
Neori, A., *see* Ellner, S. et al.
Nerland, S., *see* Helland, S.J. et al.
Ng, W.J., K. Kho, S.L. Ong, T.S. Sim and J.M. Ho
Ammonia removal from aquaculture water by means of fluidised technology 139 (1996) 55
Nguenga, D., J.J. Breine, G.G. Teugels and F. Ollevier
Artificial propagation of the African catfish *Heterobranchus longifilis* (Siluroidei; Clariidae): Description of a simple technique to avoid sacrificing male broodfish for the obtention of milt 143 (1996) 215
Nguyen, F., *see* Castell, L.L. et al.
Nichols, D.S., P. Hart, P.D. Nichols and T.A. McMeekin
Enrichment of the rotifer *Brachionus plicatilis* fed an Antarctic bacterium containing polyunsaturated fatty acids 147 (1996) 115
Nichols, P.D., *see* Nichols, D.S. et al.
Nicolas, J.-L., *see* Noel, T. et al.
Nie, Z.Q., M.F. Ji and J.P. Yan
Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino 140 (1996) 177
Nishimura, A., *see* Nagai, K. et al.
Noel, T., J.-L. Nicolas, V. Boulo, E. Mialhe and Ph. Roch
Development of a colony-blot ELISA assay using monoclonal antibodies to identify *Vibrio* P1 responsible for "brown ring disease": in the clam *Tapes philippinarum* . . 146 (1996) 171

Norton, J.H., M. Dashorst, T.M. Lansky and R.J. Mayer
An evaluation of some relaxants for use with pearl oysters 144 (1996) 39
Nunan, L., *see* Carr, W.H. et al.
Nunes, A.J.P., S. Goddard and T.C.V. Gesteira
Feeding activity patterns of the Southern brown shrimp *Penaeus subtilis* under semi-intensive culture in NE Brazil 144 (1996) 371
Oakes, F.R. and R.C. Fields
Infestation of *Haliotis rufescens* shells by a sabellid polychaete 140 (1996) 139
Oakes, F.R. and R.D. Ponte
The abalone market: Opportunities for cultured abalone 140 (1996) 187
Obach, A., *see* Verlhac, V. et al.
O'Connor, W.A., *see* Heasman, M.P. et al.
Ohta, H. and T. Izawa
Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa 142 (1996) 107
Ohta, H., H. Kagawa, H. Tanaka, K. Okuzawa and K. Hirose
Changes in fertilization and hatching rates with time after ovulation induced by 17, 20β-dihydroxy-4-pregnen-3-one in the Japanese eel, *Anguilla japonica*. 139 (1996) 291
Ojanguren, A.F., F.G. Reyes-Gavilán and F. Braña
Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L.. 147 (1996) 9
Okuzawa, K., *see* Ohta, H. et al.
Oliveira, E.C., *see* Alveal, K. et al.
Ollevier, F., *see* Nguenga, D. et al.
Olvera-Novoa, M.A., *see* Carmona-Osalde, C. et al.
Omondi, J.G. and J.R. Stark
In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus* . . . 139 (1996) 315
Ong, S.L., *see* Ng, W.J. et al.
Opstvedt, J., *see* Aksnes, A. et al.
Ostos-Garrido, M.V., *see* Abaurrea-Equisoaín, M.A. et al.
Ostrowski, A.C., T. Iwai, S. Monahan, S. Unger, D. Dagdagan, P. Murakawa, A. Schivell and C. Pigao
Nursery production technology for Pacific threadfin (*Polydactylus sexfilis*). 139 (1996) 19
Otero, A., *see* Fábregas, J. et al.
Otta, S.K., *see* Karunasagar, I. et al.
Ottesen, O.H. and H.K. Strand
Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates 146 (1996) 17
Ozato, K., *see* Kinoshita, M. et al.
Padrós, F. and S. Crespo
Ontogeny of the lymphoid organs in the turbot *Scophthalmus maximus*: a light and electron microscope study 144 (1996) 1
Pagador, R.R., *see* Tan-Fermin, J.D. et al.
Pankhurst, N.W., G.J. Purser, G. Van Der Kraak, P.M. Thomas and G.N.R. Forteath
Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*. 146 (1996) 277
Panyim, S., *see* Wongteerasupaya, C. et al.
Paphavasit, N., *see* Jarayabhand, P. et al.
Park, K.H. and H.D. Jeong
Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide 143 (1996) 135
Parrish, C.C., *see* Evans, R.P. et al.
Pascual, S., C. Gestal, J.M. Estévez, H. Rodríguez, M. Soto, E. Abollo and C. Arias
Parasites in commercially-exploited cephalopods (Mollusca, Cephalopoda) in Spain: an updated perspective 142 (1996) 1

Paspatis, M. and T. Boujard
A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels 145 (1996) 245
Patiño, M., *see* Fábregas, J. et al.
Patterson, G.W., *see* Wikfors, G.H. et al.
Patzner, R., *see* Lahnsteiner, F. et al.
Pavlov, D.M. and E. Moksness
Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock 139 (1996) 249
Pazos, A.J., G. Román, C.P. Acosta, M. Abad and J.L. Sánchez
Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain). 142 (1996) 119
Pearce, C.M. and E. Bourget
Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions 141 (1996) 201
Peñaflorida, V.D. and N.V. Golez
Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon* 143 (1996) 393
Pendás, A.M., *see* Morán, P. et al.
Perdichizzi, F., *see* Micale, V. et al.
Péres, A., *see* Zambonino Infante, J.L. et al.
Pérez, J.A., *see* Rodríguez, C. et al.
Pérez–Camacho, A., *see* Albentosa, M. et al.
Perlmutter, D.G., *see* Loch, D.D. et al.
Peyraud, C., *see* Seddiki, H. et al.
Phillips, R.B. and K.M. Reed
Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review 140 (1996) 197
Pigao, C., *see* Ostrowski, A.C. et al.
Pinosa, M., *see* Tibaldi, E. et al.
Po, H., *see* Wang, J.-Q. et al.
Ponte, R.D., *see* Oakes, F.R. et al.
Popper, D., *see* Neori, A. et al.
Pote, J.W., *see* Tucker, C.S. et al.
Potgieter, B., *see* White, H.I. et al.
Powers, D.A., *see* Gaffney, P.M. et al.
Pratanpipat, P., *see* Wongteerasupaya, C. et al.
Preston, N.P., D.M. Smith, D.M. Kellaway and S.E. Bunn
The use of enriched ^{15}N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*. 147 (1996) 249
Pursell, L., T. Dineen, J. Kerry, S. Vaughan and P. Smith
The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora 145 (1996) 21
Purser, G.J., *see* Hart, P.R. et al.
Purser, G.J., *see* Pankhurst, N.W. et al.
Qian, P.-Y., C.Y. Wu, M. Wu and Y.K. Xie
Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi* 147 (1996) 21
Qin, J. and A.W. Fast
Size and feed dependent cannibalism with juvenile snakehead *Channa striatus* 144 (1996) 313
Qin, J., A.W. Fast, D. DeAnda and R.P. Weidenbach
Growth and survival of larval snakehead (*Channa striatus*) fed different diets 148 (1997) 105
Quazuguel, P., *see* Zambonino Infante, J.L. et al.
Quéré, C., *see* Soudant, P. et al.
Rabinovitch, R., *see* Neori, A. et al.

Rach, J.J., *see* Schreier, T.M. et al.
Rae, G.H., *see* Roth, M. et al.
Rayner, C.J., *see* King, R.H. et al.
Reddington, J.J., *see* Carr, W.H. et al.
Reed, K.M., *see* Phillips, R.B. et al.
Reigh, R.C., *see* McGoogan, B.B. et al.
Reyes-Gavilán, F.G., *see* Ojanguren, A.F. et al.
Richards, R.H., *see* Roth, M. et al.
Riche, M. and P.B. Brown
Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss* . . 142 (1996) 269
Rivero, L.E. and M.T. Viana
Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens* 144 (1996) 353
Robaina, L., *see* Fernández-Palacios, H. et al.
Robert, R., *see* Soudant, P. et al.
Robinette, H.R., *see* Li, M.H. et al.
Robinson, A.M., *see* Langdon, C.J. et al.
Robinson, E.H., *see* Li, M.H. et al.
Roch, Ph., *see* Noel, T. et al.
Rodríguez, A., *see* Medina, A. et al.
Rodríguez, C., J.A. Pérez, M.S. Izquierdo, J.R. Cejas, A. Bolaños and A. Lorenzo
Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period 147 (1996) 93
Rodríguez, H., *see* Pascual, S. et al.
Rodríguez-Serna, M., *see* Carmona-Osalde, C. et al.
Rodríguez-Sierra, R., *see* Ruiz-Azcona, P. et al.
Røed, K.H., *see* Fjalestad, K.T. et al.
Román, G., *see* Pazos, A.J. et al.
Romo, H., *see* Alveal, K. et al.
Ross, L.G., *see* Beddow, T.A. et al.
Roth, M., R.H. Richards, D.P. Dobson and G.H. Rae
Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*). 140 (1996) 217
Routledge, D., *see* LaPatra, S.E. et al.
Rubin, V.P., *see* Gaffney, P.M. et al.
Ruchimat, T., *see* Masumoto, T. et al.
Ruinata, J., *see* Juinio-Meñez, M.A. et al.
Ruiz-Azcona, P., R. Rodríguez-Sierra and J.B. Martín
Culture of coquina clam, *Donax trunculus*, larvae 139 (1996) 151
Saavedra, C. and A. Guerra
Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis* 139 (1996) 203
Saha, N.C. and A. Kaviraj
Acute and chronic toxicity of tannic acid and spent bark of cinchona to tilapia *Oreochromis mossambicus*. 145 (1996) 119
Sakaguchi, M., *see* Kinoshita, M. et al.
Salgado-Barragán, J., *see* Hendrickx, M.E. et al.
Salhi, M., *see* Fernández-Palacios, H. et al.
Samain, J.F., *see* Soudant, P. et al.
Samet, M., K. Nakamura and T. Nagayama
Tolerance and respiration of the prawn (*Penaeus japonicus*) under cold air conditions . . 143 (1996) 205
Samuelsen, O.B., *see* Smith, P. et al.
Sánchez, J.L., *see* Pazos, A.J. et al.

Sargent, J.R., *see* McEvoy, L.A. et al.
Sargent, J.R., *see* Tocher, D.R. et al.
Satake, M., *see* Kinoshita, M. et al.
Sato, J., *see* Arimoto, M. et al.
Scheibling, R.E., *see* Kleinman, S. et al.
Schivell, A., *see* Ostrowski, A.C. et al.
Schmidt, H., *see* Kruse, C. et al.
Schmitt, A.S.C. and R.F. Uglow
Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (DeMan) 140 (1996) 373
Schreier, T.M., J.J. Rach and G.E. Howe
Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs 140 (1996) 323
Schüep, W., *see* Verlhac, V. et al.
Searcy-Bernal, R.
Boundary layers and abalone postlarval culture: Preliminary studies 140 (1996) 129
Secombes, C.J., *see* Marsden, M.J. et al.
Seddiki, H., G. Boeuf, V. Maxime and C. Peyraud
Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts 148 (1996) 49
Segura, F., *see* Godin, D.M. et al.
Seikai, T., *see* Chatzifotis, S. et al.
Seland, A., *see* Berg, A.J. et al.
Serrini, G., Z. Zhang and R.P. Wilson
Dietary riboflavin requirement of fingerling channel catfish (*Ictalurus punctatus*) 139 (1996) 285
Servais, F., *see* Dosdat, A. et al.
Shahidi, F., *see* Metusalach, ... 142 (1996) 99
Shapiro, J., *see* Friedlander, M. et al.
Sheer, J., *see* Friedlander, M. et al.
Sheikh-Eldin, M., S.S. De Silva, T.A. Anderson and G. Gooley
Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish 144 (1996) 201
Shepherd, S.A., *see* Aviles, J.G.G. et al.
Sheridan, A.K., I.R. Smith and J.A. Nell
Reducing the impact of environmental variation in a growth rate improvement program for the Sydney rock oyster *Saccostrea commercialis* 143 (1996) 145
Sheridan, A.K., *see* Nell, J.A. et al.
Shewmaker, W.D., *see* LaPatra, S.E. et al.
Shiau, S.-Y. and C.-W. Lan
Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*) 145 (1996) 259
Shiau, S.-Y., *see* Chou, B.-S. et al.
Shiau, S.-Y., *see* Lin, J.-H. et al.
Shibuya, K., *see* Sugita, H. et al.
Shim, K.F., *see* Gunasekera, R.M. et al.
Shim, K.F., *see* Merican, Z.O. et al.
Shimeno, S., *see* Masumoto, T. et al.
Shimooka, H., *see* Sugita, H. et al.
Shiota, H., *see* Harada, K. et al.
Shoemaker, C., *see* Capone, D.G. et al.
Shpigel, M. and B. Spencer
Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel 141 (1996) 159

Shrem, A., *see* Barki, A. et al.
Shrestha, M.K. and C.K. Lin
Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level 142 (1996) 207
Shrimpton, J.M.
Relationship between size, gill corticosteroid receptors, Na^+–K^+ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring . . . 147 (1996) 127
Sievers, G., C. Lobos, R. Inostroza and S. Ernst
The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile 143 (1996) 1
Sigholt, T., *see* Berg, A.J. et al.
Silina, A.V.
Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay) . 141 (1996) 97
Sim, T.S., *see* Ng, W.J. et al.
Singh, S. and L.S. Marsh
Modelling thermal environment of a recirculating aquaculture facility 139 (1996) 11
Slattery, M., *see* Kerry, J. et al.
Smith, B.C., *see* Wikfors, G.H. et al.
Smith, D.M., *see* Preston, N.P. et al.
Smith, I.R., *see* Nell, J.A. et al.
Smith, I.R., *see* Sheridan, A.K. et al.
Smith, P. and O.B. Samuelsen
Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages 144 (1996) 17
Smith, P.
Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence 146 (1996) 157
Smith, P., *see* Bricknell, I.R. et al.
Smith, P., *see* Kerry, J. et al.
Smith, P., *see* Pursell, L. et al.
Smith, P., *see* Vaughan, S. et al.
Smith, P.T.
Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia 146 (1996) 47
Smith, S.A., *see* Caceci, T. et al.
Snovsky, Z., *see* Friedlander, M. et al.
Söderhäll, K., *see* Diéguez-Uribeondo, J. et al.
Soltani, M., B.L. Munday and C.M. Burke
The relative susceptibility of fish to infections by *Flexibacter columnaris* and *Flexibacter maritimus* 140 (1996) 259
Song, Y.-L., *see* Sung, H.-H. et al.
Sorgeloos, P., *see* Coutteau, P. et al.
Soto, M., *see* Pascual, S. et al.
Soudant, P., Y. Marty, J. Moal, R. Robert, C. Quéré, J.R. Le Coz and J.F. Samain
Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process 143 (1996) 361
Southgate, P.C., *see* Knauer, J. et al.
Spencer, B., *see* Shpigel, M. et al.
Stark, J.R., *see* Omondi, J.G. et al.
Stauffer, Jr., J.R., *see* Likongwe, J.S. et al.
Stecko, T.D., *see* Likongwe, J.S. et al.
Stehly, G.R., *see* Meinertz, J.R. et al.
Steyn, G.J., *see* van Heerden, E. et al.

Storebakken, T. and U.C. Goswami
Plasma carotenoid concentration indicates the availability of dietary astaxanthin for Atlantic salmon, *Salmo salar* 146 (1996) 147
Storebakken, T., *see* Berge, G.M. et al.
Strand, H.K., *see* Ottesen, O.H. et al.
Strehlow, B., *see* Kruse, C. et al.
Strüssmann, C.A., F. Takashima and K. Toda
Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis* . . . 139 (1996) 31
Su, G.-S., L.-E. Liljedahl and G.A.E. Gall
Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*) 142 (1996) 139
Su, G.-S., L.-E. Liljedahl and G.A.E. Gall
Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*) 144 (1996) 71
Sudaryono, A., E. Tsvetnenko and L.H. Evans
Digestibility studies on fisheries by-product based diets for *Penaeus monodon* 143 (1996) 331
Sugita, H., J. Mita and Y. Deguchi
Effect of ozone treatment on amylases in seawater 141 (1996) 77
Sugita, H., K. Shibuya, H. Shimooka and Y. Deguchi
Antibacterial abilities of intestinal bacteria in freshwater cultured fish 145 (1996) 195
Sukhotin, A.A., *see* Maximovich, N.V. et al.
Sung, H.-H. and Y.-L. Song
Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*) 145 (1996) 41
Suplee, M.W. and J.B. Cotner
Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds 145 (1996) 141
Surintaraseree, P., *see* Little, D.C. et al.
Suzuki, R., *see* Arai, K. et al.
Suzuki, T., *see* Kurokawa, T. et al.
Sweeney, J.N., *see* Carr, W.H. et al.
Sweeney, J.N., *see* Godin, D.M. et al.
Synowiecki, J., *see* Metusalach, ... 142 (1996) 99
Tacon, P., P. Ndiaye, C. Cauty, F. Le Menn and B. Jalabert
Rêlationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis Niloticus*.. . . . . 146 (1996) 261
Takagi, M., *see* Taniguchi, N. et al.
Takashima, F., *see* Strüssmann, C.A. et al.
Takeuchi, T., *see* Chatzifotis, S. et al.
Tan-Fermin, J.D., R.R. Pagador and R.C. Chavez
LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle 148 (1997) 323
Tan, S.-H. and T.-M. Wong
Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby) 145 (1996) 129
Tanaka, H., *see* Ohta, H. et al.
Tandler, A., *see* Kolkovski, S. et al.
Taniguchi, N., M. Yamasaki, M. Takagi and A. Tsujimura
Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis* 140 (1996) 333
Targett, N.M., *see* Boettcher, A.A. et al.
Taylor, B.E., D.A. Donovan, E. McLean, E.M. Donaldson and T.H. Carefoot
Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamtschatkana* 140 (1996) 153

Taylor, L.H., *see* Kleinman, S. et al.
Teichert-Coddington, D.R.
Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America 143 (1996) 291
Tenabe, V.O., *see* Adeyeye, E.I. et al.
Teugels, G.G., *see* Nguenga, D. et al.
Thomas, P.M., *see* Pankhurst, N.W. et al.
Thomassin, B., *see* Vacelet, E. et al.
Thompson, P.A., M.-x. Guo and P.J. Harrison
Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*) 143 (1996) 379
Thompson, R.J., *see* Wilson, J.A. et al.
Thorpe, J.E., *see* Kadri, S. et al.
Thrush, M., *see* Bell, M.V. et al.
Tibaldi, E., P. Beraldo, L.A. Volpelli and M. Pinosa
Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets 139 (1996) 91
Tidwell, J.H., C.D. Webster and S.D. Coyle
Effects of dietary protein level on second year growth and water quality for largemouth bass (*Micropterus salmoides*) raised in ponds. 145 (1996) 213
Tidwell, J.H., L.R. D'Abramo, C.D. Webster, S.D. Coyle and W.H. Daniels
A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures 141 (1996) 145
Tocher, D.R., G. Mourente and J.R. Sargent
The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish 148 (1997) 213
Toda, K., *see* Strüssmann, C.A. et al.
Tong, S.-l. and H.-Z. Miao
Attempts to initiate cell cultures from *Penaeus chinensis* tissues 147 (1996) 151
Toro, J.E., P. Aguila and A.M. Vergara
Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845) 146 (1996) 27
Toth, T.E., *see* Caceci, T. et al.
Toyohara, H., *see* Kinoshita, M. et al.
Treasurer, J.W. and A. Grant
The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae) 148 (1997) 265
Trindade, M., *see* Comps, M. et al.
Tryggvadóttir, S.V., *see* Björnsson, B. et al.
Tsai, K., *see* Ellner, S. et al.
Tsujimura, A., *see* Taniguchi, N. et al.
Tsvetnenko, E., *see* Sudaryono, A. et al.
Tucker, C.S., S.K. Kingsbury, J.W. Pote and C.L. Wax
Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds. 147 (1996) 57
Tully, O., P. Daly, S. Lysaght, S. Deady and S.J.A. Varian
Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus elongatus* Nordmann on farmed Atlantic salmon . . . 142 (1996) 11
Uchida, T., *see* Nagai, K. et al.
Ucko, M., *see* Neori, A. et al.
Uglow, R.F., *see* Schmitt, A.S.C. et al.
Unger, S., *see* Ostrowski, A.C. et al.

Uno, K.
Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*) 143 (1996) 33
Vacelet, E., A. Arnoux and B. Thomassin
Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia) 144 (1996) 133
Valencia, A., *see* Fernández-Palacios, H. et al.
Van Barneveld, R.J., *see* Fleming, A.E. et al.
van der Heijden, M.H.T., *see* Haenen, O.L.M. et al.
Van Der Kraak, G., *see* Pankhurst, N.W. et al.
Van Eenennaam, A.L., J.P. Van Eenennaam, J.F. Medrano and S.I. Doroshov
Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson) 147 (1996) 177
Van Eenennaam, J.P., *see* Van Eenennaam, A.L. et al.
van Heerden, E., J.H.J. van Vuren and G.J. Steyn
Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss* 141 (1996) 173
van Leengoed, L.A.M.G., *see* Haenen, O.L.M. et al.
van Muiswinkel, W.B., *see* Haenen, O.L.M. et al.
Van Niekerk, G., *see* Nel, R. et al.
van Rijn, J.
The potential for integrated biological treatment systems in recirculating fish culture—A review 139 (1996) 181
van Vuren, J.H.J., *see* van Heerden, E. et al.
van Wijngaarden, T.A.M., *see* Haenen, O.L.M. et al.
Varian, S.J.A., *see* Tully, O. et al.
Vaughan, S. and P. Smith
Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride 141 (1996) 67
Vaughan, S., R. Coyne and P. Smith
The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm 139 (1996) 47
Vaughan, S., *see* Kerry, J. et al.
Vaughan, S., *see* Pursell, L. et al.
Vergára, A.M., *see* Toro, J.E. et al.
Verlhac, V., J. Gabaudan, A. Obach, W. Schüep and R. Hole
Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*) 143 (1996) 123
Viana, M.T., L.M. López, Z. García-Esquivel and E. Mendez
The use of silage made from fish and abalone viscera as an ingredient in abalone feed . . 140 (1996) 87
Viana, M.T., *see* Rivero, L.E. et al.
Vijayakumaran, K., *see* Kaladharan, P. et al.
Vila, Y., *see* Medina, A. et al.
Volkman, J.K., *see* Brown, M.R. et al.
Volkman, J.K., *see* Dunstan, G.A. et al.
Volpelli, L.A., *see* Tibaldi, E. et al.
Wada, K.T. and A. Komaru
Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker) 142 (1996) 25
Wakamatsu, Y., *see* Kinoshita, M. et al.
Wang, J.-Q., H. Lui, H. Po and L. Fan
Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings. 148 (1997) 115

Ward, J.E., *see* Miron, G. et al.
Wax, C.L., *see* Tucker, C.S. et al.
Webster, C.D., *see* Tidwell, J.H. et al.
Weidenbach, R.P., *see* Qin, J. et al.
Weintraub, N., *see* Friedlander, M. et al.
Weismann, T., *see* Lahnsteiner, F. et al.
Werlinger, C., *see* Alveal, K. et al.
West, J.L., *see* Loch, D.D. et al.
Weston, D.P., *see* Capone, D.G. et al.
White, H.I., T. Hecht and B. Potgieter
The effect of four anaesthetics on *Haliotis midae* and their suitability for application in commercial abalone culture 140 (1996) 145
Wikfors, G.H., G.W. Patterson, P. Gosh, R.A. Lewin, B.C. Smith and J.H. Alix
Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp. 143 (1996) 411
Williams, S.T., *see* Benzie, J.A.H. et al.
Wilson, J.A., O.R. Chaparro and R.J. Thompson
The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis* 139 (1996) 63
Wilson, R.P., *see* Serrini, G. et al.
Withyachumnarnkul, B., *see* Wongteerasupaya, C. et al.
Wong, T.-M., *see* Tan, S.-H. et al.
Wongteerasupaya, C., S. Wongwisansri, V. Boonsaeng, S. Panyim, P. Pratanpipat, G.L. Nash, B. Withyachumnarnkul and T.W. Flegel
DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species 143 (1996) 23
Wongwisansri, S., *see* Wongteerasupaya, C. et al.
Wu, C.Y., *see* Qian, P.-Y. et al.
Wu, M., *see* Qian, P.-Y. et al.
Xie, Y.K., *see* Qian, P.-Y. et al.
Yakupitiyage, A., *see* Dato-Cajegas, C.R.S. et al.
Yamaguchi, M., *see* Nagai, K. et al.
Yamasaki, M., *see* Taniguchi, N. et al.
Yamashita, S., *see* Kinoshita, M. et al.
Yan, J.P., *see* Nie, Z.Q. et al.
Yi, Y., C.K. Lin and J.S. Diana
Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages 146 (1996) 205
Zambonino Infante, J.L., C.L. Cahu, A. Péres, P. Quazuguel and M.M. Le Gall
Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions 139 (1996) 129
Zhang, Z., *see* Serrini, G. et al.
Zohar, Y., *see* Mylonas, C.C. et al.
Zuber, D., *see* Neori, A. et al.

ELSEVIER

Aquaculture 148 (1997) 365–423

Aquaculture

Subject Index, Volumes 139–148

α-amylase

Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Abalone

A review of the culture of tropical abalone with special reference to Thailand, 140 (1996) 159

Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamtschatkana*, 140 (1996) 153

Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture, 140 (1996) 169

Infestation of *Haliotis rufescens* shells by a sabellid polychaete, 140 (1996) 139

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino, 140 (1996) 177

Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

The abalone market: Opportunities for cultured abalone, 140 (1996) 187

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The effect of four anaesthetics on *Haliotis midae* and their suitability for application in commercial abalone culture, 140 (1996) 145

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Acanthopagrus latus

Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttuyn), 143 (1996) 155

Acipenser

The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293

***Acipenser* spp.**

Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white

sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*), 148 (1997) 201

Acipenser transmontanus
Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Activity pattern
Activity pattern of fish in rice fields, 145 (1996) 159

Aerial respiration
Tolerance and respiration of the prawn (*Penaeus japonicus*) under cold air conditions, 143 (1996) 205

Aerial tolerance
Tolerance and respiration of the prawn (*Penaeus japonicus*) under cold air conditions, 143 (1996) 205

Aeromonas salmonicida
Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Age
Influence of age on digestive enzyme activity in some freshwater teleosts, 148 (1996) 25

Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Ageing
Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Agonistic behavior
Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttuyn), 143 (1996) 155

Algae
The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

Algal diets
Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters, 148 (1996) 11

Allozyme variation
Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

Amino acid
Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

Amino acid availability
Amino acid availability values for several protein sources for yellowtail (*Seriola quinqueradiata*), 146 (1996) 109

Amino acid composition
Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Ammonia
Ammonia removal from aquaculture water by means of fluidised technology, 139 (1996) 55

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Ammonia-N
Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (De-Man), 140 (1996) 373

Amorphous silica
Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Amylase
Effect of ozone treatment on amylases in seawater, 141 (1996) 77

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Anaesthesia
Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing, 148 (1996) 39

Anaesthetics
The effect of four anaesthetics on *Haliotis midae* and their suitability for application in commercial abalone culture, 140 (1996) 145

Anarhichas lupus
Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock, 139 (1996) 249

Anguilla japonica
Changes in fertilization and hatching rates with time after ovulation induced by 17, 20β-dihydroxy-4-pregnen-3-one in the Japanese eel, *Anguilla japonica*, 139 (1996) 291

Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa, 142 (1996) 107

Anguillicola crassus
Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidea) on European eel (*Anguilla anguilla*), 141 (1996) 41

Annual
LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle, 148 (1997) 323

Antarctic
Enrichment of the rotifer *Brachionus plicatilis* fed an Antarctic bacterium containing polyunsaturated fatty acids, 147 (1996) 115

Antibacterial activity
Antibacterial abilities of intestinal bacteria in freshwater cultured fish, 145 (1996) 195

Antibacterials
Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture, 145 (1996) 55

Antibiotics
Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture, 145 (1996) 55

Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Antibodies
Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Antifungal
Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs , 140 (1996) 323

Antiprotease
Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Apparent SDA
Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Aquaculture

A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with an application to common carp (*Cyprinus carpio*), 142 (1996) 191

Artificial propagation of the African catfish *Heterobranchus longifilis* (Siluroidei; Clariidae): Description of a simple technique to avoid sacrificing male broodfish for the obtention of milt, 143 (1996) 215

Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191

The abalone market: Opportunities for cultured abalone, 140 (1996) 187

Aquaculture diets

The use of enriched ^{15}N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*, 147 (1996) 249

Aquaculture effluent

Ammonia removal from aquaculture water by means of fluidised technology, 139 (1996) 55

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Aquaculture-molluscs

The development of artificial diets for abalone: A review and future directions, 140 (1996) 5

Arachidonic acid

Decreased $20{:}4n-6/20{:}5n-3$ ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish, 144 (1996) 189

Arctic charr

Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.), 142 (1996) 99

Arginase

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Artemia

Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Adult *Artemia* as food for first feeding coho salmon (*Oncorhynchus kisutch*), 144 (1996) 217

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects, 142 (1996) 171

Growth and survival of larval snakehead (*Channa striatus*) fed different diets, 148 (1997) 105

The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

***Artemia* enrichment**

Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Artificial diet

Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae, 144 (1996) 81

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Artificial feed
Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

Artificial feeds and nutrition-molluscs
The development of artificial diets for abalone: A review and future directions, 140 (1996) 5

Artificial substrata
Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Ascorbyl monophosphate
Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Assimilation
Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Astacus astacus
Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Astaxanthin, pigmentation
Plasma carotenoid concentration indicates the availability of dietary astaxanthin for Atlantic salmon, *Salmo salar*, 146 (1996) 147

Atlantic halibut
Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Atlantic salmon
A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of grilse to total return, 144 (1996) 277

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Atlantic salmon (*Salmo salar*)
Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Food acquisition and growth of juvenile Atlantic salmon (*Salmo salar*) in relation to spatial distribution of food, 143 (1996) 277

Plasma carotenoid concentration indicates the availability of dietary astaxanthin for Atlantic salmon, *Salmo salar*, 146 (1996) 147

Attractants
Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

Availability
Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Ayu
Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Azamethiphos
Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

Bacteria
Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Baculovirus PmNOBII
DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

Barrels
Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture, 140 (1996) 169

Benthic macroinvertebrates
The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates, 147 (1996) 37

Benzocaine
Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing, 148 (1996) 39

Betaine
Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Binder
Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

Bioactivity
Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride, 141 (1996) 67

Bioavailability
Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

Biochemical composition
Changes in biochemical profile of *Tetraselmis gracilis* I. Comparison of two culture media, 148 (1997) 153

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Biochemistry
Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Biodiversity
All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Biofilm
Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Biofilter
Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Biogeochemistry
Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Biological control
Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113

Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus elongatus* Nordmann on farmed Atlantic salmon, 142 (1996) 11

Biological treatment
The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Biomass
Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects, 142 (1996) 171

Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Bioreactor
Ammonia removal from aquaculture water by means of fluidised technology, 139 (1996) 55

Bivalve
Toxicity and LD_{50} levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Blood
Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Blood electrolytes
Drinking in Atlantic salmon presmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge, 141 (1996) 129

Body condition
Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Body size
Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Body weight
Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

Bonamiasis
Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Bone mineralization
Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107

Bone zinc
Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

Bottom substrate
Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Boundary layers
Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Brachionus plicatilis
Enrichment of the rotifer *Brachionus plicatilis* fed an Antarctic bacterium containing polyunsaturated fatty acids, 147 (1996) 115

Breakpoint concentrations
The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

Breeding
Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program, 144 (1996) 295

Broken eggs
Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Brooding
The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Broodstock
Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock, 139 (1996) 249

Brown ring disease
Development of a colony-blot ELISA assay using monoclonal antibodies to identify *Vibrio* P1 responsible for "brown ring disease": in the clam *Tapes philippinarum*, 146 (1996) 171

Brown trout
Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.) populations from Spain, 141 (1996) 59

Bullfrog
Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Cage
Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture, 140 (1996) 169

Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages, 146 (1996) 205

Calcium
The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Haliotis laevigata* , 145 (1996) 267

Caligus elongatus
Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

Cannibalism
Size and feed dependent cannibalism with juvenile snakehead *Channa striatus*, 144 (1996) 313

Canthaxanthin
Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.), 142 (1996) 99

Carbohydrate
Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*), 148 (1997) 201

Carnitine
The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine, 147 (1996) 235

Carp
Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* – effect of inclusion level and adaptation time, 148 (1997) 143

Carpospores
Spore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta), 142 (1996) 59

Carrageenan
Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Catfish
LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle, 148 (1997) 323

Cell cultures
Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Cephalopod molluscs
Parasites in commercially-exploited cephalopods (Mollusca, Cephalopoda) in Spain: an updated perspective, 142 (1996) 1

Ceratothoa gaudichaudii
The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

Channa striatus
Growth and survival of larval snakehead (*Channa striatus*) fed different diets, 148 (1997) 105

Size and feed dependent cannibalism with juvenile snakehead *Channa striatus*, 144 (1996) 313

Channel catfish
Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Chanos chanos
Effect of dietary fatty acids on growth of milkfish *Chanos chanos* fry in brackish water, 144 (1996) 363

Chelated zinc
Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

Chemical cues
Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Cherax
Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Cherax quadricarinatus
Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169

Chile
Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845), 146 (1996) 27

The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

Chinook salmon
Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment, 144 (1996) 27

Chitin
Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Chloramphenicol acetyltransferase
A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene, 143 (1996) 267

Chlorine
Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Cholesterol
Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Chondracanthus chamissoi
Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

Clam
Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef, 141 (1996) 25

Clarence River
Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Clarias gariepinus
Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscuris*. I. A biological analysis, 146 (1996) 85

Climate
Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Cloned fish
Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Clotting
Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

CO_2
The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293

Coho salmon
Relationship between size, gill corticosteroid receptors, Na^+–K^+ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127

Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment, 144 (1996) 27

Collectors
Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Colossoma
Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America, 143 (1996) 291

Common carp
Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Common environmental effect
Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

Complement
Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Composition
Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L) , 145 (1996) 225

Conditioning
Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve, 143 (1996) 75

Contamination
Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Cool storage of spermatozoa
Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa, 142 (1996) 107

Copepods
Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113

Correlation
Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

Cortical rods
A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Cortisol implants
Drinking in Atlantic salmon presmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge, 141 (1996) 129

Counting method
A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use, 141 (1996) 83

Crassostrea
The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

Crassostrea belcheri
Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Crassostrea gigas
All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

Crayfish
Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169

Crayfish parasite
Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Crude protein
The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239

Crustaceans
In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Cryopreservation
Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using programmable freezing, 143 (1996) 319

Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*), 144 (1996) 265

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Cryptic
Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments., 144 (1996) 91

Culture
A review of the culture of tropical abalone with special reference to Thailand, 140 (1996) 159

Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*. Fugita 1913), 144 (1996) 321

Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Growth and survival of the blue abalone *Haliotis fulgens* in barrels at Cedros Island, Baja California, with a review of abalone barrel culture, 140 (1996) 169

In vitro culture of embryonic cells from the freshwater prawn *Macrobrachium rosenbergii*, 143 (1996) 227

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino, 140 (1996) 177

Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia, 142 (1996) 75

The effect of four anaesthetics on *Haliotis midae* and their suitability for application in commercial abalone culture, 140 (1996) 145

Culture media

Changes in biochemical profile of *Tetraselmis gracilis* I. Comparison of two culture media, 148 (1997) 153

Culture method

Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures, 142 (1996) 43

Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77

Spore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta), 142 (1996) 59

Culture ponds

Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

Current velocity

Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Cyprinus carpio

Activity pattern of fish in rice fields, 145 (1996) 159

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Cytochalasin B

All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Cytosolic peptidase

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Decapod crustaceans

Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

Denitrification

The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Density

Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191

Density-dependence

A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with an application to common carp (*Cyprinus carpio*), 142 (1996) 191

Dentex dentex

Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Detectability

Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments., 144 (1996) 91

Development

Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Developmental stages
Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

DHA
Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

DHA:EPA
Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Diatoms
Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Dicentrarchus labrax
A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use, 141 (1996) 83

Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures, 142 (1996) 43

Investigation of fish encephalitis viruses (FEV) expression in marine fishes using DIG-labelled probes, 143 (1996) 113

Dichlorvos
Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

Diet
Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Nursery production technology for Pacific threadfin (*Polydactylus sexfilis*), 139 (1996) 19

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Dietary lipid
Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

Dietary protein
Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Dietary requirements
Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Diet formulation
Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Differential resistance
Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Digestibility
Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* – effect of inclusion level and adaptation time, 148 (1997) 143

Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*), 139 (1996) 303

Digestibility studies on fisheries by-product based diets for *Penaeus monodon*, 143 (1996) 331

Digestibility—shrimp
Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Digestible energy
Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Digestion
Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Digestive enzyme
Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Influence of age on digestive enzyme activity in some freshwater teleosts, 148 (1996) 25

Digestive gland enzymes
In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus*, 139 (1996) 315

Diplodus puntazzo
Aspects of the reproductive biology of the sharpsnout seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281

Disease resistance
Susceptibility and humoral response of brown trout × lake trout hybrids to infectious hematopoietic necrosis virus: a model for examining disease resistance mechanisms, 146 (1996) 179

Diseases and their control—fish
Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater, 143 (1996) 7

DNA
Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review, 140 (1996) 197

mtDNA
Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.) populations from Spain, 141 (1996) 59

DNA fingerprinting
Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Docosahexaenoic acid
The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Domestication
Application of controlled-release, GnRHa-delivery systems in commercial production of white bass × striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Dominance
Social interactions and the distribution of food among one-sea-winter Atlantic salmon (*Salmo salar*) in a sea-cage, 139 (1996) 1

Drinking
Drinking in Atlantic salmon presmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge, 141 (1996) 129

Early growth
Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Echinoculture
Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Ecological farming
Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Ecology
Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Economics
Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Modelling thermal environment of a recirculating aquaculture facility, 139 (1996) 11

Ectosymbiont
Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Edwardsiella tarda
Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Eel
Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidea) on European eel (*Anguilla anguilla*), 141 (1996) 41

Effluents
Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Seaweed biofilters as regulators of water quality in integrated fish–seaweed culture units, 141 (1996) 183

Egg quality
Application of controlled-release, GnRHa-delivery systems in commercial production of white bass × striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock, 139 (1996) 249

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Eggs
Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Egg size
Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Eicosapentaenoic acid
Decreased $20{:}4n-6/20{:}5n-3$ ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish, 144 (1996) 189

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

Embryogenesis
In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Embryonic cells
In vitro culture of embryonic cells from the freshwater prawn *Macrobrachium rosenbergii*, 143 (1996) 227

Energy metabolism
Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Enhancement of spat collection
Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Enriched stable isotopes
The use of enriched ^{15}N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*, 147 (1996) 249

Enrichment
The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Enrichment conditions
Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

Enterocytes
Enterocytes in the anterior intestine of *Oncorhynchus mykiss*: Cytological characteristics related to osmoregulation, 139 (1996) 109

Environment
Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture, 145 (1996) 55

Environmental conditions
Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Environmental impact
Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

Environmental modelling
Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Environmental variation
Reducing the impact of environmental variation in a growth rate improvement program for the Sydney rock oyster *Saccostrea commercialis*, 143 (1996) 145

Enzymes
Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

EPA / DHA
Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

***Epinephelus* spp.**
Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259

EPT taxa richness
The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates, 147 (1996) 37

Essential fatty acids
Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp., 143 (1996) 411

***E. suillus* larvae**
The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae, 146 (1996) 217

Excretion
Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Exocrine pancreas
Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

Eyestalk ablation
Survival, growth and food conversion efficiency of *Panulirus ornatus* following eyestalk ablation, 146 (1996) 225

Faeces
Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Farming
Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77

Farming trials in villages
Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

Fat cell necrosis syndrome
Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Fats
Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Fats and fatty compounds
Influence of dietary $n-3$ highly unsaturated fatty acids levels on juvenile gilthead seabream (*Sparus aurata*) growth and tissue fatty acid composition, 142 (1996) 221

Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*, 147 (1996) 275

Fatty acid
Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

Effect of dietary fatty acids on growth of milkfish *Chanos chanos* fry in brackish water, 144 (1996) 363

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador, 142 (1996) 259

Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

Fatty acids Ca salts
Growth, body composition and nutrient retention efficiency of growing sea bass (*Di-*

centrarchus labrax L.) fed fish oil or fatty acid Ca salts, 139 (1996) 101

Feed

Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Digestibility studies on fisheries by-product based diets for *Penaeus monodon*, 143 (1996) 331

Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L) , 145 (1996) 225

Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Feed additives

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Feed conversion

Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass, 139 (1996) 117

The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Feed efficiency

Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L) , 145 (1996) 225

Feeding

Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Food acquisition and growth of juvenile Atlantic salmon (*Salmo salar*) in relation to spatial distribution of food, 143 (1996) 277

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Feeding and nutrition

In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus*, 139 (1996) 315

Feeding and nutrition, crustacean

Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*, 147 (1996) 275

Feeding and nutrition, finfish

Effect of dietary fatty acids on growth of milkfish *Chanos chanos* fry in brackish water, 144 (1996) 363

Feeding and nutrition, fish

A simple method for the measurement of daily feed intake of groups of fish in tanks, 139 (1996) 157

Effects of dietary protein level on second year growth and water quality for largemouth bass (*Micropterus salmoides*) raised in ponds, 145 (1996) 213

Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Optimal dietary lipid level for growth of juvenile hybrid tilapia, *Oreochromis niloticus* × *Oreochromis aureus*, 143 (1996) 185

Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259

The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive system, 144 (1996) 227

Feeding and nutrition, fish feeding systems
The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive system, 144 (1996) 227

Feeding and nutrition, larval rearing
The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Feeding and nutrition, molluscs
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Haliotis laevigata* , 145 (1996) 267

Feeding and nutrition, new feeds
The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Feeding and nutrition, plasma astaxanthin, availability
Plasma carotenoid concentration indicates the availability of dietary astaxanthin for Atlantic salmon, *Salmo salar*, 146 (1996) 147

Feeding behaviour
A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

Social interactions and the distribution of food among one-sea-winter Atlantic salmon (*Salmo salar*) in a sea-cage, 139 (1996) 1

The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Feeding frequency
Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Feeding level
Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Feeding rhythms
Feeding activity patterns of the Southern brown shrimp *Penaeus subtilis* under semi-intensive culture in NE Brazil, 144 (1996) 371

Feeding strategy
Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*), 148 (1997) 201

Feed intake
A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

A simple method for the measurement of daily feed intake of groups of fish in tanks, 139 (1996) 157

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Feed ration
Size and feed dependent cannibalism with juvenile snakehead *Channa striatus*, 144 (1996) 313

Feedstuffs
Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*), 139 (1996) 303

Feed training
The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Fertilizability
Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Fertilization

Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Changes in fertilization and hatching rates with time after ovulation induced by 17, 20β-dihydroxy-4-pregnen-3-one in the Japanese eel, *Anguilla japonica*, 139 (1996) 291

Fingerlings

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

First-feeding salmonids

Adult *Artemia* as food for first feeding coho salmon (*Oncorhynchus kisutch*), 144 (1996) 217

Fish

A simple method for the measurement of daily feed intake of groups of fish in tanks, 139 (1996) 157

Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis Niloticus.*, 146 (1996) 261

Seaweed biofilters as regulators of water quality in integrated fish–seaweed culture units, 141 (1996) 183

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Fish diseases

Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Fish encephalitis virus

Investigation of fish encephalitis viruses (FEV) expression in marine fishes using DIG-labelled probes, 143 (1996) 113

Fish farming

Phosphorus fractionation and mobility in the food and faeces of hatchery reared rainbow trout (*Onchorhynchus mykiss*), 145 (1996) 183

Fish farms

Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride, 141 (1996) 67

Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

The importance of bacterial multiplication in the selection, by oxytetracycline–HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Fish food

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Fish larvae

A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use, 141 (1996) 83

Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures, 142 (1996) 43

Fish larviculture
Growth and survival of larval snakehead (*Channa striatus*) fed different diets, 148 (1997) 105

Fish meal
Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Fish oil
Growth, body composition and nutrient retention efficiency of growing sea bass (*Dicentrarchus labrax* L.) fed fish oil or fatty acid Ca salts, 139 (1996) 101

Fish organs
Determination of some metals in *Clarias gariepinus* (Cuvier and Vallenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments, 147 (1996) 205

Fish ponds
Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Fish protein hydrolyzate
Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Flexibacter columnaris
The relative susceptibility of fish to infections by *Flexibacter columnaris* and *Flexibacter maritimus*, 140 (1996) 259

Flexibacter maritimus
The relative susceptibility of fish to infections by *Flexibacter columnaris* and *Flexibacter maritimus*, 140 (1996) 259

Floating cage
Temperate freshwater fouling on floating net cages: method of evaluation, model and composition, 143 (1996) 303

Flounder
Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

Fluidised bed
Ammonia removal from aquaculture water by means of fluidised technology, 139 (1996) 55

Fluorescence
Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review, 140 (1996) 197

Food-competition
Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169

Food consumption
Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Formalin
Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs , 140 (1996) 323

Formulated feed
Growth and survival of larval snakehead (*Channa striatus*) fed different diets, 148 (1997) 105

Fouling
Temperate freshwater fouling on floating net cages: method of evaluation, model and composition, 143 (1996) 303

Founder effect
Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Freshwater
Temperate freshwater fouling on floating net cages: method of evaluation, model and composition, 143 (1996) 303

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Freshwater fish
Antibacterial abilities of intestinal bacteria in freshwater cultured fish, 145 (1996) 195

Freshwater teleost
Influence of age on digestive enzyme activity in some freshwater teleosts, 148 (1996) 25

Frog
Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Fry competition
Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Fungal disease
Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Furunclosis
Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Gametogenesis
Aspects of the reproductive biology of the sharpsnout seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281

Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Gametophytes
Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

Gastropod
Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

GC–MS
Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Genetic engineering
In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Genetic marker
Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Genetics
Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review, 140 (1996) 197

Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

Genetic variation
Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

GH
Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Giant clams
Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

Gill corticosteroid receptors
Relationship between size, gill corticosteroid receptors, Na^+–K^+ ATPase activity and smolt-

ing in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127

Gill Na^+–K^+ ATPase activity
Relationship between size, gill corticosteroid receptors, Na^+–K^+ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127

GIT
Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Glucan
Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123

GnRH
Application of controlled-release, GnRHa-delivery systems in commercial production of white bass × striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Gonadal cycle
Aspects of the reproductive biology of the sharpsnout seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281

Gonadogenesis
Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Gracilaria
Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113

Spore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta), 142 (1996) 59

Gracilaria chilensis
Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77

Gracilaria edulis
Optimization of certain physical parameters for the mariculture of *Gracilaria edulis* (Gmelin) Silva in Minicoy lagoon (Laccadive Archipelago), 139 (1996) 265

Gracilaria heteroclada
Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

Grazing
Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113

Greenback flounder
Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Greenback flounder (*Rhombosolea tapirina*)
Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303

Grooming
Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Gross composition
Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L) , 145 (1996) 225

Grouper
Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259

Growout culture
Survival, growth and food conversion efficiency of *Panulirus ornatus* following eyestalk ablation, 146 (1996) 225

Growth
A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with

an application to common carp (*Cyprinus carpio*), 142 (1996) 191

Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linneaus), 146 (1996) 37

Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass, 139 (1996) 117

Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L) , 145 (1996) 225

Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamtschatkana*, 140 (1996) 153

Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107

Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat, 145 (1996) 235

Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae, 144 (1996) 81

Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191

On the use of self-thinning relationships in stocking experiments, 145 (1996) 91

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino, 140 (1996) 177

Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program, 144 (1996) 295

Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169

Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia, 142 (1996) 75

Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine, 147 (1996) 235

The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239

The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Growth and survival

The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae, 146 (1996) 217

Growth – crustacean

Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*, 147 (1996) 275

Growth efficiency

Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33

Growth-fish

Effects of dietary protein level on second year growth and water quality for largemouth bass (*Micropterus salmoides*) raised in ponds, 145 (1996) 213

Growth hormone

Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamtschatkana*, 140 (1996) 153

Growth rate

Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33

Reducing the impact of environmental variation in a growth rate improvement program for the Sydney rock oyster *Saccostrea commercialis*, 143 (1996) 145

Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845), 146 (1996) 27

The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Growth traits

Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Growth variability

Food acquisition and growth of juvenile Atlantic salmon (*Salmo salar*) in relation to spatial distribution of food, 143 (1996) 277

pH

Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Halibut

Effect of dietary protein level on growth and carcass composition in Atlantic halibut (*Hippoglossus hippoglossus* L) , 145 (1996) 225

Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33

Haliotis

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

Haliotis asinina

Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae, 144 (1996) 81

Haliotis discus hannai

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of

polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Haliotis kamtschatkana
Effect of recombinant vertebrate growth hormones on growth of adult abalone, *Haliotis kamtschatkana*, 140 (1996) 153

Haliotis laevigata
The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Haliotis laevigata* , 145 (1996) 267

Haliotis midae
Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

Haliotis rubra
The development of artificial diets for abalone: A review and future directions, 140 (1996) 5

Haliotis rufescens
Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

Haliotis tuberculata
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Haplotype
Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.) populations from Spain, 141 (1996) 59

Hatchability
Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Hatchery
Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Hatchery conditions
Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Hatchery production
Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

Hatching
Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Hatching rates
Changes in fertilization and hatching rates with time after ovulation induced by 17, 20β-dihydroxy-4-pregnen-3-one in the Japanese eel, *Anguilla japonica*, 139 (1996) 291

Hematology
Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

Hepatic D-amino acid oxidase
Dietary riboflavin requirement of fingerling channel catfish (*Ictalurus punctatus*), 139 (1996) 285

Heritability
Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845), 146 (1996) 27

Heterobranchus longifilis
Artificial propagation of the African catfish *Heterobranchus longifilis* (Siluroidei; Clariidae): Description of a simple technique to avoid sacrificing male broodfish for the obtention of milt, 143 (1996) 215

Heterocapsa circularisquama
Toxicity and LD_{50} levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Heterozygosity
Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

Hippoglossus hippoglossus
Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33

Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Histochemistry
Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Histology
Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Hormones
LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle, 148 (1997) 323

Household consumption
Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Hucho hucho
Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*), 144 (1996) 265

$n-3$ HUFA
Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

Influence of dietary $n-3$ highly unsaturated fatty acids levels on juvenile gilthead seabream (*Sparus aurata*) growth and tissue fatty acid composition, 142 (1996) 221

Hybridization
Application of fluorescence in situ hybridization (FISH) techniques to fish genetics: a review, 140 (1996) 197

DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

Hybrid striped bass
Application of controlled-release, GnRHa-delivery systems in commercial production of white bass × striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Hydrodynamics
Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Hydrogen peroxide
Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs , 140 (1996) 323

Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Hypercapnia
The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293

Hypophysation
Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Ictalurus punctatus
Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

Dietary riboflavin requirement of fingerling channel catfish (*Ictalurus punctatus*), 139 (1996) 285

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107

IHHNV
The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock, 147 (1996) 1

IHNV
Susceptibility and humoral response of brown trout × lake trout hybrids to infectious hematopoietic necrosis virus: a model for examining disease resistance mechanisms, 146 (1996) 179

Image analysis
Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Immersion
Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Immune responses
Non-specific immune responses in families of Atlantic salmon, *Salmo salar*, exhibiting differential resistance to furunculosis, 146 (1996) 1

Immunocytochemistry
Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis Niloticus.*, 146 (1996) 261

Immunohistochemistry
Presence of trypsin in distinctive body segments of leptocephalus larvae of Anguilliformes, 142 (1996) 237

Immunology
Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidea) on European eel (*Anguilla anguilla*), 141 (1996) 41

Immunomodulation
Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123

Immunostimulant
Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Inactivation
Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Inbreeding depression
Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

Inclusion
Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* – effect of inclusion level and adaptation time, 148 (1997) 143

Indicator
Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Induced spawning
Application of controlled-release, GnRHa-delivery systems in commercial production of white bass × striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttuyn), 143 (1996) 155

Infection
The relative susceptibility of fish to infections by *Flexibacter columnaris* and *Flexibacter maritimus*, 140 (1996) 259

Infestations
Infestation of *Haliotis rufescens* shells by a sabellid polychaete, 140 (1996) 139

Ingredients
Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Inorganic zinc
Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

In situ hybridization
Investigation of fish encephalitis viruses (FEV) expression in marine fishes using DIG-labelled probes, 143 (1996) 113

Integrated culture
Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages, 146 (1996) 205

Integrated farming
Activity pattern of fish in rice fields, 145 (1996) 159

Integrated pest management
Activity pattern of fish in rice fields, 145 (1996) 159

Interspecific hybrid
Susceptibility and humoral response of brown trout × lake trout hybrids to infectious hematopoietic necrosis virus: a model for examining disease resistance mechanisms, 146 (1996) 179

Intestinal bacteria
Antibacterial abilities of intestinal bacteria in freshwater cultured fish, 145 (1996) 195

Intestinal swelling
Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttuyn), 143 (1996) 155

Intestine
Enterocytes in the anterior intestine of *Oncorhynchus mykiss*: Cytological characteristics related to osmoregulation, 139 (1996) 109

Invertebrates
In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Japanese pearl oyster
Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Juvenile
Comparative growth performance and digestive enzyme activity of juvenile South African abalone, *Haliotis midae*, fed on diatoms and a practical diet, 140 (1996) 75

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Juvenile scallops

Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia, 142 (1996) 75

Juvenile *Trochus niloticus*

Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments., 144 (1996) 91

Kaolin

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Kappaphycus alvarezii

Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

Kinetics

Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Krill meal

Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

Largemouth bass

Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Larva

Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*. Fugita 1913), 144 (1996) 321

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador, 142 (1996) 259

Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Larval development
Ontogeny of the lymphoid organs in the turbot *Scophthalmus maximus*: a light and electron microscope study, 144 (1996) 1

Larval growth
Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Larval performance
Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Larval rearing
Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

Latitude
A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures, 141 (1996) 145

Lepeophtheirus salmonis
Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Leptocephali
Presence of trypsin in distinctive body segments of leptocephalus larvae of Anguilliformes, 142 (1996) 237

Lethal effect
Toxicity and LD_{50} levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Light
Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

Lipid
Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* – effect of inclusion level and adaptation time, 148 (1997) 143

Biochemical composition of eggs from repeat and first-time spawning captive Atlantic halibut (*Hippoglossus hippoglossus*), 139 (1996) 139

Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

Optimal dietary lipid level for growth of juvenile hybrid tilapia, *Oreochromis niloticus* × *Oreochromis aureus*, 143 (1996) 185

The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Lipid emulsions
Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

Lipid peroxidation
Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Lipogenesis
Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*), 148 (1997) 201

Liposomes
Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Live food
Adult *Artemia* as food for first feeding coho salmon (*Oncorhynchus kisutch*), 144 (1996) 217

Liver
Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Lordosis
Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Low-cost inputs
The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

LT fish meal
Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Lymphoid organs
Ontogeny of the lymphoid organs in the turbot *Scophthalmus maximus*: a light and electron microscope study, 144 (1996) 1

Lysine
The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine, 147 (1996) 235

Machrobium rosenbergii
Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (De-Man), 140 (1996) 373

Machrobrachium rosenbergii
In vitro culture of embryonic cells from the freshwater prawn *Macrobrachium rosenbergii*, 143 (1996) 227

Macquarie perch
Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Macroalgae
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. V. The role of polyunsaturated fatty acids of macroalgae in abalone nutrition, 139 (1996) 77

Growth rate of the Philippine abalone, *Haliotis asinina* fed an artificial diet and macroalgae, 144 (1996) 81

Macrobrachium rosenbergii
A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures, 141 (1996) 145

Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii*, 145 (1996) 295

In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Maize bran
The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

Management
Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77

Mangrove
Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Marginal environment
Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Mariculture
Mass cultivation of the agar-producing alga *Gracilaria chilensis* (Rhodophyta) from spores, 148 (1997) 77

Optimization of certain physical parameters for the mariculture of *Gracilaria edulis* (Gmelin) Silva in Minicoy lagoon (Laccadive Archipelago), 139 (1996) 265

The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

Marine
Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Marine fish farms
Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Marine fish larvae
Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303

Marine salmon farm
Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

Marine sediments
The importance of bacterial multiplication in the selection, by oxytetracycline–HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Market
The abalone market: Opportunities for cultured abalone, 140 (1996) 187

Maturation
Differential patterns of feeding and resource accumulation in maturing and immature Atlantic salmon, *Salmo salar*, 142 (1996) 245

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Mature oocytes
Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Medaka
A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene, 143 (1996) 267

Media
Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Media supplements
Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Medicated feed
Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment, 144 (1996) 27

Meiotic gynogenesis
Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Metabolic processes
The importance of bacterial multiplication in the selection, by oxytetracycline–HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Metabolism
Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.), 142 (1996) 99

Metallothionein
A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene, 143 (1996) 267

Metals
Determination of some metals in *Clarias gariepinus* (Cuvier and Vallenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments, 147 (1996) 205

Metamorphosis
Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

Methionine requirement
Methionine requirement of juvenile tiger shrimp *Penaeus monodon* Fabricius, 143 (1996) 403

Method
Comparison of two assay methods for determination of nutrient and energy digestibility in fish, 140 (1996) 343

Microbound diets
Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Microcosms
The importance of bacterial multiplication in the selection, by oxytetracycline–HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Microdiet
Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Microenvironment
Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Micropterus salmoides
Effects of dietary protein level on second year growth and water quality for largemouth bass (*Micropterus salmoides*) raised in ponds, 145 (1996) 213

Milt diluent
Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa, 142 (1996) 107

Mineral nutrition
Comparison of chelated zinc and zinc sulfate as zinc sources for growth and bone mineralization of channel catfish (*Ictalurus punctatus*) fed practical diets, 146 (1996) 237

Mizuhopecten yessoensis
Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay), 141 (1996) 97

Model
A simple von Bertalanffy model for density-dependent growth in extensive aquaculture, with an application to common carp (*Cyprinus carpio*), 142 (1996) 191

Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Model prediction
Size and feed dependent cannibalism with juvenile snakehead *Channa striatus*, 144 (1996) 313

Molluscan aquaculture
Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp., 143 (1996) 411

Mollusc shell
Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay), 141 (1996) 97

Molting
Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Moronidae
Application of controlled-release, GnRHa-delivery systems in commercial production of white bass × striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

Morphological traits
Genetic and environmental variances of body size and morphological traits in communally reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Mortality
Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay), 141 (1996) 97

Motility
Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using programmable freezing, 143 (1996) 319

Muscle
Comparison of fatty acid composition of muscle, liver, mature oocytes, and diets of wild and captive Macquarie perch, *Macquaria australasica*, broodfish, 144 (1996) 201

Mussel
On the use of self-thinning relationships in stocking experiments, 145 (1996) 91

Mytilus edulis
Long-term dynamics of blue mussel (*Mytilus edulis* L.) culture settlements (the White Sea), 147 (1996) 191

^{15}N
The use of enriched ^{15}N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*, 147 (1996) 249

NAC solubility
Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107

Napier grass
The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

Nauplii
Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Nematode
Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidea) on European eel (*Anguilla anguilla*), 141 (1996) 41

Nets
Temperate freshwater fouling on floating net cages: method of evaluation, model and composition, 143 (1996) 303

New feeds
Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

Nile tilapia
Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages, 146 (1996) 205

Nitrification
The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Nitrogen efflux
Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (De-Man), 140 (1996) 373

Nitrogenous excretion
Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii*, 145 (1996) 295

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Nitrogen release and uptake
Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Noble crayfish
Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Non-additive genetic effect
Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

Nonspecific immune system
Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Northeast Thailand
Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Notochord
Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Nucleotides
Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Nutrient availability
Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*), 139 (1996) 303

Nutrient concentrations
Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Nutrients
Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Seaweed biofilters as regulators of water quality in integrated fish–seaweed culture units, 141 (1996) 183

Nutrition
Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters, 148 (1996) 11

Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp., 143 (1996) 411

Influence of dietary $n-3$ highly unsaturated fatty acids levels on juvenile gilthead seabream (*Sparus aurata*) growth and tissue fatty acid composition, 142 (1996) 221

Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve, 143 (1996) 75

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

Nutritional restriction
Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

O-antigens
Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Odontesthes bonariensis
Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Off-season
LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle, 148 (1997) 323

O. karongae
The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

Oligotrophy
Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Oncorhynchus mykiss
Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using programmable freezing, 143 (1996) 319

Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing, 148 (1996) 39

Oocyte atresia

Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Oocytes

A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Ophiocephalus obscuris

Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscuris*. I. A biological analysis, 146 (1996) 85

Optimal temperature

Effects of size on optimal temperature for growth and growth efficiency of immature Atlantic halibut (*Hippoglossus hippoglossus* L.), 142 (1996) 33

Optimum parameters

Optimization of certain physical parameters for the mariculture of *Gracilaria edulis* (Gmelin) Silva in Minicoy lagoon (Laccadive Archipelago), 139 (1996) 265

Oreochromis mossambicus

Acute and chronic toxicity of tannic acid and spent bark of cinchona to tilapia *Oreochromis mossambicus*, 145 (1996) 119

Oreochromis niloticus

Activity pattern of fish in rice fields, 145 (1996) 159

Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linneaus), 146 (1996) 37

Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages, 146 (1996) 205

Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscuris*. I. A biological analysis, 146 (1996) 85

Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis Niloticus.*, 146 (1996) 261

The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive system, 144 (1996) 227

***Oreochromis* spp.**

Effect of feeding strategy and carbohydrate source on carbohydrate utilization by white sturgeon (*Acipenser transmontanus*) and hybrid tilapia (*Oreochromis niloticus* × *O. aureus*), 148 (1997) 201

Optimal dietary lipid level for growth of juvenile hybrid tilapia, *Oreochromis niloticus* × *Oreochromis aureus*, 143 (1996) 185

Organic loading

The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates, 147 (1996) 37

Organophosphate

Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

O. shiranus

The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

Osmoregulation

Enterocytes in the anterior intestine of *Oncorhynchus mykiss*: Cytological characteristics related to osmoregulation, 139 (1996) 109

Ostrea chilensis
Spatial variation in response to selection for live weight and shell length from data on individually tagged Chilean native oysters (*Ostrea chilensis* Philippi, 1845), 146 (1996) 27

Ostrea edulis
Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Ovarian development
A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Ovarian histology
A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Ovarian steroids
Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*, 146 (1996) 277

Ovary
Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis Niloticus.*, 146 (1996) 261

Oxygen
Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Oxygen consumption
Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii*, 145 (1996) 295

Oxytetracycline
Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater, 143 (1996) 7

Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

Tissue distribution and elimination of oxytetracycline in seawater chinook and coho salmon following medicated-feed treatment, 144 (1996) 27

Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration, 147 (1996) 159

Oxytetracycline concentration
Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

Oxytetracycline HCl
Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride, 141 (1996) 67

The importance of bacterial multiplication in the selection, by oxytetracycline–HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Oxytetracycline resistance
Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Oxytetracycline therapy
Spatial distribution of oxytetracycline and elevated frequencies of oxytetracycline resistance in sediments beneath a marine salmon farm following oxytetracycline therapy, 145 (1996) 31

Oyster
Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*. Fugita 1913), 144 (1996) 321

Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat, 145 (1996) 235

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program, 144 (1996) 295

Reducing the impact of environmental variation in a growth rate improvement program for the Sydney rock oyster *Saccostrea commercialis*, 143 (1996) 145

The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Ozone
Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Effect of ozone treatment on amylases in seawater, 141 (1996) 77

Pacifastacus leniusculus
Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Palatability
Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Pancreatin
Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Panulirus ornatus
Survival, growth and food conversion efficiency of *Panulirus ornatus* following eyestalk ablation, 146 (1996) 225

Paper chromatography
In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus*, 139 (1996) 315

Parasite
Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidea) on European eel (*Anguilla anguilla*), 141 (1996) 41

Parasites in commercially-exploited cephalopods (Mollusca, Cephalopoda) in Spain: an updated perspective, 142 (1996) 1

The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

Parental care
Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis Niloticus.*, 146 (1996) 261

Partial gonadectomy
Artificial propagation of the African catfish *Heterobranchus longifilis* (Siluroidei; Clariidae): Description of a simple technique to avoid sacrificing male broodfish for the obtention of milt, 143 (1996) 215

Particles
Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Pathobiology
Effects of experimental infections with different doses of *Anguillicola crassus* (Nematoda, Dracunculoidea) on European eel (*Anguilla anguilla*), 141 (1996) 41

PCR
Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Pearl color
Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Pearl oyster
An evaluation of some relaxants for use with pearl oysters, 144 (1996) 39

Toxicity and LD_{50} levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Pearl oyster *Pinctada martensi*
Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Pearl weight
Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Pecten fumatus
Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve, 143 (1996) 75

Pecten maximus
Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Pejerrey
Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Penaeid nutrition
Feeding activity patterns of the Southern brown shrimp *Penaeus subtilis* under semi-intensive culture in NE Brazil, 144 (1996) 371

Penaeus chinensis
Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Penaeus indicus
In vitro carbohydrate digestibility tests in the Indian white shrimp, *Penaeus indicus*, 139 (1996) 315

Penaeus japonicus
Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Tolerance and respiration of the prawn (*Penaeus japonicus*) under cold air conditions, 143 (1996) 205

Penaeus kerathurus
A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Penaeus monodon
DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

Digestibility studies on fisheries by-product based diets for *Penaeus monodon*, 143 (1996) 331

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Qualitative requirements of essential fatty acids for juvenile *Penaeus monodon*, 147 (1996) 275

Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

***Penaeus monodon* Fabricius**

Methionine requirement of juvenile tiger shrimp *Penaeus monodon* Fabricius, 143 (1996) 403

Penaeus subtilis

Feeding activity patterns of the Southern brown shrimp *Penaeus subtilis* under semi-intensive culture in NE Brazil, 144 (1996) 371

Penaeus vannamei

Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Evaluation of a fluorescent elastomer internal tag in juvenile and adult shrimp *Penaeus vannamei*, 139 (1996) 243

Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador, 142 (1996) 259

The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock, 147 (1996) 1

Perca fluviatilis

The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239

Perch

The effects of dietary crude protein on growth of the Eurasian perch *Perca fluviatilis*, 144 (1996) 239

Perkinsus

Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef, 141 (1996) 25

Pharmacokinetics

Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater, 143 (1996) 7

Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

Pharmacokinetics of benzocaine in rainbow trout (*Oncorhynchus mykiss*) after intraarterial dosing, 148 (1996) 39

Phase ratio

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

Phospholipid

The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

Phosphorus

Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level, 142 (1996) 207

The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Haliotis laevigata* , 145 (1996) 267

The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive system, 144 (1996) 227

Phosphorus enrichment

Phosphorus fractionation and mobility in the food and faeces of hatchery reared rainbow trout (*Onchorhynchus mykiss*), 145 (1996) 183

Phosphorus utilization
Efficacy of dicalcium and defluorinated rock phosphates as dietary phosphorus sources for channel catfish (*Ictalurus punctatus*), 147 (1996) 107

Photoperiod
Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303

Physiological adaptation
Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Phytoplankton
Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (*Crassostrea gigas*), 143 (1996) 379

Picoplankton
Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Pigmentation
Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Pimephales promelas
Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Pinctada albina
An evaluation of some relaxants for use with pearl oysters, 144 (1996) 39

Pinctada fucata martensii
Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Pinctada margaritifera
Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

PIT tag
Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Placopecten
Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Placopecten magellanicus
Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Shell and tissue growth of juvenile sea scallops (*Placopecten magellanicus*) in suspended and bottom culture in Lunenburg Bay, Nova Scotia, 142 (1996) 75

Plankton
Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Plasma cortisol
Relationship between size, gill corticosteroid receptors, Na^+–K^+ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127

Plasma membrane
Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Plecoglossus altivelis
Genetic and environmental variances of body size and morphological traits in communally

reared clonal lines from gynogenetic diploid ayu, *Plecoglossus altivelis*, 140 (1996) 333

Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

Pleuronectes americanus
Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Polar lipid
Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Pollution
Phosphorus fractionation and mobility in the food and faeces of hatchery reared rainbow trout (*Onchorhynchus mykiss*), 145 (1996) 183

Polychaete
Infestation of *Haliotis rufescens* shells by a sabellid polychaete, 140 (1996) 139

Polyculture
Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America, 143 (1996) 291

Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscuris*. I. A biological analysis, 146 (1996) 85

Polydactylus sexfilis
Nursery production technology for Pacific threadfin (*Polydactylus sexfilis*), 139 (1996) 19

Polydora
The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

Polyploid gigantism
All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Polyploidy
Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Polyunsaturated fatty acid
Decreased $20{:}4n-6/20{:}5n-3$ ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish, 144 (1996) 189

Enrichment of the rotifer *Brachionus plicatilis* fed an Antarctic bacterium containing polyunsaturated fatty acids, 147 (1996) 115

Pond
Influence of Nile tilapia (*Oreochromis niloticus*) stocking density in cages on their growth and yield in cages and in ponds containing the cages, 146 (1996) 205

Pond culture
A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures, 141 (1996) 145

Pond fertilization
Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level, 142 (1996) 207

Pond-reared shrimp
A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Pond water
Determination of some metals in *Clarias gariepinus* (Cuvier and Vallenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments, 147 (1996) 205

Population
Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw

crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Population control
All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Population enhancement
Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments., 144 (1996) 91

Postlarvae
Boundary layers and abalone postlarval culture: Preliminary studies, 140 (1996) 129

Prawn farming
Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Prawn husbandry
In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Prawns
In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

The use of enriched ^{15}N as an indicator of the assimilation of individual protein sources from compound diets for juvenile *Penaeus monodon*, 147 (1996) 249

Precision
A photographic larval fish counting technique: comparison with other methods, statistical appraisal of the procedure and practical use, 141 (1996) 83

Prophylaxis
Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Protein
Effect of dietary protein level on growth performance of South African abalone, *Haliotis midae*, fed fishmeal-based semi-purified diets, 140 (1996) 55

Growth response of juvenile dentex (*Dentex dentex* L.) to varying protein level and protein to lipid ratio in practical diets, 139 (1996) 91

Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259

The composition and amino acid balance of abalone (*Haliotis rubra*) tissue, 140 (1996) 109

The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*, 140 (1996) 63

The use of silage made from fish and abalone viscera as an ingredient in abalone feed, 140 (1996) 87

Protein-bound polysaccharide
Enhanced resistance against *Edwardsiella tarda* infection in tilapia (*Oreochromis niloticus*) by administration of protein-bound polysaccharide, 143 (1996) 135

Protein digestibility
Amino acid availability values for several protein sources for yellowtail (*Seriola quinqueradiata*), 146 (1996) 109

Protein energy ratio
Optimum dietary protein level and protein to energy ratio for growth of grouper (*Epinephelus malabaricus*), 145 (1996) 259

Protein requirement
Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Psorospermium haeckeli
Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Queen conch
Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

Radiolabeled
Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Rainbow trout

Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*, 146 (1996) 277

Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

Enterocytes in the anterior intestine of *Oncorhynchus mykiss*: Cytological characteristics related to osmoregulation, 139 (1996) 109

Genetic and environmental variation of body weight in rainbow trout (*Oncorhynchus mykiss*), 144 (1996) 71

Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Rainfed

Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Rana

Growth and metamorphosis of *Rana perezi* larvae in culture: effects of larval density, 142 (1996) 163

Rana catesbeiana

Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Ranching

Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of grilse to total return, 144 (1996) 277

Random amplification of polymorphic DNA (RAPD)

Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

RAPD

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Rapid diagnosis

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Rate of inbreeding

Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Rearing trials

Nursery production technology for Pacific threadfin (*Polydactylus sexfilis*), 139 (1996) 19

Recirculating

Seaweed biofilters as regulators of water quality in integrated fish–seaweed culture units, 141 (1996) 183

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Recirculating fish culture systems

The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Recruitment control
Recruitment control of Nile tilapia, *Oreochromis niloticus*, by the African catfish, *Clarias gariepinus* (Burchell 1822), and the African snakehead, *Ophiocephalus obscuris*. I. A biological analysis, 146 (1996) 85

Red alga *Kappaphycus alvarezii*
Integrated cultivation of the red alga *Kappaphycus alvarezii* and the pearl oyster *Pinctada martensi*, 147 (1996) 21

Red drum
Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Red sea bream
The effect of dietary carnitine supplementation on growth of red sea bream (*Pagrus major*) fingerlings at two levels of dietary lysine, 147 (1996) 235

Red tide
Toxicity and LD_{50} levels of the red tide dinoflagellate *Heterocapsa circularisquama* on juvenile pearl oysters, 144 (1996) 149

Regulations
Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Relaxants
An evaluation of some relaxants for use with pearl oysters, 144 (1996) 39

Release site
Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of grilse to total return, 144 (1996) 277

Reproduction
Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*, 146 (1996) 277

Effects of inbreeding on growth and reproductive traits in rainbow trout (*Oncorhynchus mykiss*), 142 (1996) 139

LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle, 148 (1997) 323

The effect of dietary protein and lipid from squid and fish meals on egg quality of broodstock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

Reproductive allocation
Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

Reproductive biology
Aspects of the reproductive biology of the sharpsnout seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281

Resistance frequency
The importance of bacterial multiplication in the selection, by oxytetracycline–HCl, of oxytetracycline-resistant bacteria in marine sediment microcosms, 144 (1996) 103

Resistance mechanisms
The biological significance of breakpoint concentrations of oxytetracycline in media for the examination of marine sediment microflora, 145 (1996) 21

Restoration
Genetic effects of artificial propagation: signals from wild and hatchery populations of red abalone in California, 143 (1996) 257

RFLPs
Mitochondrial DNA variation in wild and hatchery brown trout (*Salmo trutta* L.) populations from Spain, 141 (1996) 59

Rhombosolea tapirina
Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Riboflavin
Dietary riboflavin requirement of fingerling channel catfish (*Ictalurus punctatus*), 139 (1996) 285

Rice
Activity pattern of fish in rice fields, 145 (1996) 159

Rice-fish
Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Rotifer density
The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae, 146 (1996) 217

Rotifers
Improvement of the nutritional value of rotifers by varying the type and concentration of oil and the enrichment period, 147 (1996) 93

The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Ruditapes decussatus
Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters, 148 (1996) 11

Salinity
Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linneaus), 146 (1996) 37

Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303

Influence of salinity on food consumption, growth and energy conversion efficiency of common carp (*Cyprinus carpio*) fingerlings, 148 (1997) 115

Salmon
Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Rapid identification of *Aeromonas salmonicida* subspecies *salmonicida* by the polymerase chain reaction, 141 (1996) 13

Salmon farms
Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus elongatus* Nordmann on farmed Atlantic salmon, 142 (1996) 11

Salmonids
Drinking in Atlantic salmon presmolts (*Salmo salar* L.) and juvenile rainbow trout (*Oncorhynchus mykiss* Walbaum) in response to cortisol and sea water challenge, 141 (1996) 129

Salmo salar
Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Bioavailability of oxytetracycline from medicated feed administered to Atlantic salmon (*Salmo salar* L.) in seawater, 143 (1996) 7

Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Social interactions and the distribution of food among one-sea-winter Atlantic salmon (*Salmo salar*) in a sea-cage, 139 (1996) 1

The effect of the isopod parasite *Ceratothoa gaudichaudii* on the body weight of farmed *Salmo salar* in southern Chile, 143 (1996) 1

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Salvelinus alpinus
Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.), 142 (1996) 99

Sampling
The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Sanitiser
Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Saponin
Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Saprolegnia
Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Saprolegniasis
Physiological characterization of *Saprolegnia parasitica* isolates from brown trout, 140 (1996) 247

Scallop
On the use of self-thinning relationships in stocking experiments, 145 (1996) 91

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Scallop aquaculture
Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Scallop cultivation
Mortality of late juvenile and adult stages of the scallop *Mizuhopecten yessoensis* (Jay), 141 (1996) 97

Sciaenops ocellatus
Apparent digestibility of selected ingredients in red drum (*Sciaenops ocellatus*) diets, 141 (1996) 233

Determination of digestibility coefficients of various feedstuffs for red drum (*Sciaenops ocellatus*), 139 (1996) 303

Scophthalmus maximus
Ontogeny of the lymphoid organs in the turbot *Scophthalmus maximus*: a light and electron microscope study, 144 (1996) 1

Sea bass
Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass, 139 (1996) 117

Effects of live food and dietary digestive enzymes on the efficiency of microdiets for seabass (*Dicentrarchus labrax*) larvae, 148 (1997) 313

Growth, body composition and nutrient retention efficiency of growing sea bass (*Dicentrarchus labrax* L.) fed fish oil or fatty acid Ca salts, 139 (1996) 101

Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration, 147 (1996) 159

Sea bass larvae
Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Sea bass sperm
Decreased $20{:}4n-6/20{:}5n-3$ ratio in sperm from cultured sea bass, *Dicentrarchus labrax*, broodstock compared with wild fish, 144 (1996) 189

Sea bream
Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration, 147 (1996) 159

The effect of dietary protein and lipid from squid and fish meals on egg quality of brood-

stock for gilthead seabream (*Sparus aurata*), 148 (1997) 233

Sea enclosures
Development of an intensive culture system for sea bass (*Dicentrarchus labrax*) larvae in sea enclosures, 142 (1996) 43

Sea lice
Field trials on the efficacy of the organophosphorus compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*), 140 (1996) 217

The efficacy of hydrogen peroxide for the treatment of farmed Atlantic salmon, *Salmo salar* L. infested with sea lice (Copepoda: Caligidae), 148 (1997) 265

Sea lice (Caligidae)
Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus elongatus* Nordmann on farmed Atlantic salmon, 142 (1996) 11

Season
Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Sea urchin
Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Sea water adaptation
Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Seaweed
Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Seaweed-biofilters
Seaweed biofilters as regulators of water quality in integrated fish–seaweed culture units, 141 (1996) 183

Secondary production
Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects, 142 (1996) 171

Sediment
Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Estimation of the influence of a river sediment on the biological activity of oxytetracycline hydrochloride, 141 (1996) 67

Is sediment deposition the dominant fate of oxytetracycline used in marine salmonid farms: a review of available evidence, 146 (1996) 157

Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level, 142 (1996) 207

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Sedimentary lipids
Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Sediment oxygen demand
Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Seed
Evaluation of live microalgal diets for the seed culture of *Ruditapes decussatus* using physiological and biochemical parameters, 148 (1996) 11

Selection
Progress in a Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), breeding program, 144 (1996) 295

Selection pressure
The critical importance of sample site in the determination of the frequency of oxytetracycline resistance in the effluent microflora of a fresh water fish farm, 139 (1996) 47

Selective breeding
Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker), 142 (1996) 25

Self-feeders
The use of self-feeders in rainbow trout (*Oncorhynchus mykiss*) production, 145 (1996) 1

Self-feeding
A comparative study of automatic feeding and self-feeding in juvenile Atlantic salmon (*Salmo salar*) fed diets of different energy levels, 145 (1996) 245

Diel feeding activity and the effect of time-restricted self-feeding on growth and feed conversion in European sea bass, 139 (1996) 117

Self-thinning
On the use of self-thinning relationships in stocking experiments, 145 (1996) 91

Semen
Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*), 144 (1996) 265

Serodiagnostic kit
The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock, 147 (1996) 1

Settlement
Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Spat settlement of the giant scallop, *Placopecten magellanicus* (Gmelin, 1791), and other bivalve species on artificial filamentous collectors coated with chitinous material, 148 (1997) 277

Settling
Effect of salinity on hatching, larval growth, survival and settling in the tropical oyster *Crassostrea belcheri* (Sowerby), 145 (1996) 129

Sex
Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Sex determination
Improved method of determining the sex of the marine topshell, *Trochus niloticus* (Mollusca: Gastropoda) for spawning, 139 (1996) 329

Sex differentiation
Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Sex inversion
Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Sex reversal
Sex differentiation and hormonal feminization in pejerrey *Odontesthes bonariensis*, 139 (1996) 31

Sexual maturation
Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Sharpsnout sea bream
Aspects of the reproductive biology of the sharpsnout seabream *Diplodus puntazzo* (Cetti, 1777). I. Gametogenesis and gonadal cycle in captivity during the third year of life, 140 (1996) 281

Shell
Infestation of *Haliotis rufescens* shells by a sabellid polychaete, 140 (1996) 139

Shrimp
DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

Physical and chemical characteristics of sediments from prawn farms and mangrove habitats on the Clarence River, Australia, 146 (1996) 47

Shrimp farming
In vitro embryogenesis of *Macrobrachium rosenbergii* larvae following in vivo fertilization, 147 (1996) 169

Shrimp production
Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Signal crayfish
Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*, 148 (1996) 1

Silage
The use of silages prepared from fish neural tissues as enrichers for rotifers (*Brachionus plicatilis*) and *Artemia* in the nutrition of larval marine fish, 148 (1997) 213

Simulation
Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

SJNNV
Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Skeletal malformation
Induced spawning and larval rearing of captive yellowfin porgy, *Acanthopagrus latus* (Houttuyn), 143 (1996) 155

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Skin lesions
Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates, 146 (1996) 17

Sludge removal
The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Smolting
Relationship between size, gill corticosteroid receptors, Na^+–K^+ ATPase activity and smolting in juvenile coho salmon (*Oncorhynchus kisutch*) in autumn and spring, 147 (1996) 127

Sodium chloride
Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs , 140 (1996) 323

Soil sediments
Determination of some metals in *Clarias gariepinus* (Cuvier and Vallenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* (L.) fishes in a polyculture fresh water pond and their environments, 147 (1996) 205

Somatotropin
Effects of growth hormone treatment on oxygen consumption and sea water adaptability in Atlantic salmon parr and pre-smolts, 148 (1996) 49

Soybean lecithin
The effect of different levels and sources of dietary phosphatidylcholine on the growth, survival, stress resistance, and fatty acid composition of postlarval *Penaeus vannamei*, 147 (1996) 261

Soybean meal
Identification of feed enhancers for juvenile largemouth bass *Micropterus salmoides*, 148 (1997) 191

Spain
Parasites in commercially-exploited cephalopods (Mollusca, Cephalopoda) in Spain: an updated perspective, 142 (1996) 1

Sparus aurata
Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Influence of dietary $n-3$ highly unsaturated fatty acids levels on juvenile gilthead seabream (*Sparus aurata*) growth and tissue fatty acid composition, 142 (1996) 221

Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model, 143 (1996) 167

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Spat

Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis.* Fugita 1913), 144 (1996) 321

Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat, 145 (1996) 235

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Spat collection

Settlement of larvae of the giant scallop, *Placopecten magellanicus* (Gmelin), on various artificial and natural substrata under hatchery-type conditions, 141 (1996) 201

Spat collector

Direct observations of particle kinematics within a scallop (*Placopecten magellanicus*) spat collector by means of video endoscopy, 147 (1996) 71

Spawning

Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Improved method of determining the sex of the marine topshell, *Trochus niloticus* (Mollusca: Gastropoda) for spawning, 139 (1996) 329

LHRHa and pimozide-induced spawning of Asian catfish *Clarias macrocephalus* (Gunther) at different times during an annual reproductive cycle, 148 (1997) 323

Spermatozoa

Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) spermatozoa using programmable freezing, 143 (1996) 319

Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Sperm motility

Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa, 142 (1996) 107

SPF

The use of an infectious hypodermal and hematopoietic necrosis virus gene probe serodiagnostic field kit for the screening of candidate specific pathogen-free *Penaeus vannamei* broodstock, 147 (1996) 1

Spices

Studies on the feeding attractants for fishes and shellfishes. XXVI. Probable feeding attractants in allspice *Pimenta officinalis* for black abalone *Haliotis discus*, 140 (1996) 99

Spinal deviation

Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Spiny lobster

Survival, growth and food conversion efficiency of *Panulirus ornatus* following eyestalk ablation, 146 (1996) 225

Spongiococcum excentricum

Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Spore germination

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

Spore release

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

Spore settlement

Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

Spore suspension
Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

Spray-dried alga
Nutritional value of a spray-dried freshwater alga, *Spongiococcum excentricum*, for Pacific oyster (*Crassostrea gigas*) spat, 146 (1996) 135

Starch
Digestibility of starch in *Penaeus vannamei*: in vivo and in vitro study on eight samples of various origin, 140 (1996) 361

Starter diet
Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry, 145 (1996) 205

Starvation
Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

Stereology
Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Stereo-vision
Predicting salmon biomass remotely using a digital stereo-imaging technique, 146 (1996) 189

Sterol
Changes in the physico-chemical characteristics and lipid composition in sediments from productive aquaculture ponds after a short-term shrimp growth experiment, 144 (1996) 121

Effect of diet on the lipid composition of wild and cultured abalone, 140 (1996) 115

Effect of food fatty acid and sterol quality on *Pecten maximus* gonad composition and reproduction process, 143 (1996) 361

Growth of post-set oysters, *Crassostrea virginica*, on high-lipid strains of algal flagellates *Tetraselmis* spp., 143 (1996) 411

Stocking density
Effect of stocking density, oxygen level, light regime and swimming velocity on the incidence of sexual maturation in adult Atlantic salmon (*Salmo salar*), 143 (1996) 43

Modelling thermal environment of a recirculating aquaculture facility, 139 (1996) 11

On the use of self-thinning relationships in stocking experiments, 145 (1996) 91

Strain
Selection experiments on Atlantic salmon ranching. II. Variation among release sites and strains for return rate, body weight and ratio of grilse to total return, 144 (1996) 277

Striped jack
Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Strombus gigas
Hydrogen peroxide induced metamorphosis of queen conch, *Strombus gigas*: Tests at the commercial scale, 148 (1997) 247

Strongylocentrotus droebachiensis
Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Sturgeon
Limitations of carrageenan microbound diets for feeding white sturgeon, *Acipenser transmontanus*, larvae, 141 (1996) 245

The effects of hypercapnia on the growth of juvenile white sturgeon, *Acipenser transmontanus*, 147 (1996) 293

Subsistence
Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Substrate
Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

Sugar
Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Sulfate reducing bacteria
Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Sulfate reduction
Temporal changes in oxygen demand and bacterial sulfate reduction in inland shrimp ponds, 145 (1996) 141

Suminoe
Aquaculture potential of the Suminoe oyster (*Crassostrea ariakensis*. Fugita 1913), 144 (1996) 321

Survival
Detectability of cryptic juvenile *Trochus niloticus* Linnaeus in stock enhancement experiments., 144 (1996) 91

Effects of saponin on survival, growth, molting and feeding of *Penaeus japonicus* juveniles, 144 (1996) 165

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino, 140 (1996) 177

Ration and spatial distribution of feed affect survival, growth, and competition in juvenile red-claw crayfish, *Cherax quadricarinatus*, reared in the laboratory, 148 (1997) 169

Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

The importance of broodstock nutrition on the viability of larvae and spat in the Chilean oyster *Ostrea chilensis*, 139 (1996) 63

Use of seaweed meals from *Kappaphycus alvarezii* and *Gracilaria heteroclada* as binders in diets for juvenile shrimp *Penaeus monodon*, 143 (1996) 393

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Suspended culture
Stereological studies on the gametogenic cycle of the scallop, *Pecten maximus*, in suspended culture in Ria de Arousa (Galicia, NW Spain), 142 (1996) 119

Suspended material
Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Sustainable-mariculture
Seaweed biofilters as regulators of water quality in integrated fish–seaweed culture units, 141 (1996) 183

Swimbladder
Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Swimming performance
Effects of egg size on offspring development and fitness in brown trout, *Salmo trutta* L., 147 (1996) 9

System design
Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino, 140 (1996) 177

Tadpoles
Estimation of the protein requirement for bullfrog (*Rana catesbeiana*) tadpoles, and its effect on metamorphosis ratio, 141 (1996) 223

Tagging
Tagging sea urchins: a new technique for individual identification, 139 (1996) 271

Tagging—internal tag
Evaluation of a fluorescent elastomer internal tag in juvenile and adult shrimp *Penaeus vannamei*, 139 (1996) 243

Takapoto
Particulate material as an indicator of pearl-oyster excess in the Takapoto lagoon (Tuamotu, French Polynesia), 144 (1996) 133

Tannic acid
Acute and chronic toxicity of tannic acid and spent bark of cinchona to tilapia *Oreochromis mossambicus*, 145 (1996) 119

Tan tanks
The effect of background color and rotifer density on rotifer intake, growth and survival of the grouper (*Epinephelus suillus*) larvae, 146 (1996) 217

Tapes philippinarum
Development of a colony-blot ELISA assay using monoclonal antibodies to identify *Vibrio* P1 responsible for "brown ring disease": in the clam *Tapes philippinarum*, 146 (1996) 171

Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Techniques, culture methods
Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Techniques, feeding and nutrition
A simple method for the measurement of daily feed intake of groups of fish in tanks, 139 (1996) 157

Effects of initial weight and genetic strain on feed training largemouth bass *Micropterus salmoides* using ground fish flesh and freeze dried krill as starter diets, 148 (1997) 179

The use of freeze-dried krill to feed train largemouth bass (*Micropterus salmoides*): feeds and training strategies, 148 (1997) 299

Temnocephalidae
Factors influencing populations of the ectosymbiont *Diceratocephala boschmai* (Platyhelminthes; Temnocephalida), on the redclaw crayfish *Cherax quadricarinatus* maintained under laboratory conditions, 143 (1996) 233

Temperature
A standardized comparison of semi-intensive pond culture of freshwater prawns *Macrobrachium rosenbergii* at different latitudes: production increases associated with lower water temperatures, 141 (1996) 145

Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linneaus), 146 (1996) 37

Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*, 148 (1997) 125

Effect of holding temperature on ovulation, egg fertility, plasma levels of reproductive hormones and in vitro ovarian steroidogenesis in the rainbow trout *Oncorhynchus mykiss*, 146 (1996) 277

Effects of photoperiod, temperature and salinity on hatchery-reared larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 144 (1996) 303

Effects of temperature on oxygen consumption and nitrogenous excretion of juvenile *Macrobrachium rosenbergii*, 145 (1996) 295

Estimation of the biomass production of *Artemia* with regard to its use in aquaculture: temperature and strain effects, 142 (1996) 171

Modelling thermal environment of a recirculating aquaculture facility, 139 (1996) 11

Preliminary studies on increased survival and accelerated growth of overwintering juvenile abalone, *Haliotis discus hannai* Ino, 140 (1996) 177

Repeat sexual maturation of wolffish (*Anarhichas lupus* L.) broodstock, 139 (1996) 249

Temperature and nutrition as factors in conditioning broodstock of the commercial scallop *Pecten fumatus* Reeve, 143 (1996) 75

Temperature change
Effects of temperature change rate on nitrogen effluxes of *Macrobrachium rosenbergii* (De-Man), 140 (1996) 373

Tetraploidy
All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Tetraselmis gracilis
Changes in biochemical profile of *Tetraselmis gracilis* I. Comparison of two culture media, 148 (1997) 153

Tetraselmis suecica
Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Tetraspores
Spore culture of the edible red seaweed, *Gracilaria parvispora* (Rhodophyta), 142 (1996) 59

Tetrasporophytes
Differences in the early stages of development of gametophytes and tetrasporophytes of *Chondracanthus chamissoi* (C.Ag.) Kützing from Puerto Aldea, northern Chile, 143 (1996) 91

Thailand
A review of the culture of tropical abalone with special reference to Thailand, 140 (1996) 159

Thermal acclimation
Influence of rainbow trout thermal acclimation on sperm cryopreservation: relation to change in the lipid composition of the plasma membrane, 145 (1996) 281

Thrombocytes
Effects of dietary lipid on the hematology of channel catfish, *Ictalurus punctatus*, 147 (1996) 225

Thymallus thymallus
Cryopreservation of semen of the grayling (*Thymallus thymallus*) and the Danube salmon (*Hucho hucho*), 144 (1996) 265

Tiger shrimp
Methionine requirement of juvenile tiger shrimp *Penaeus monodon* Fabricius, 143 (1996) 403

Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Tilapia
Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linneaus), 146 (1996) 37

Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia, *Oreochromis niloticus*, 146 (1996) 121

Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America, 143 (1996) 291

Influence of protein content of broodstock diets on larval quality and performance in Nile tilapia, *Oreochromis niloticus* (L.), 146 (1996) 245

Phosphorus fertilization strategy in fish ponds based on sediment phosphorus saturation level, 142 (1996) 207

Time
Apparent digestibility of tuna oil for common carp, *Cyprinus carpio* – effect of inclusion level and adaptation time, 148 (1997) 143

Tissue
Attempts to initiate cell cultures from *Penaeus chinensis* tissues, 147 (1996) 151

Tissue location
Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Tissue residues
Tissue distribution and residue depletion of oxytetracycline in sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) after oral administration, 147 (1996) 159

Total residual oxidant
Effect of ozone treatment on amylases in seawater, 141 (1996) 77

Toughness
Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*, 144 (1996) 353

Toxicity
Acute and chronic toxicity of tannic acid and spent bark of cinchona to tilapia *Oreochromis mossambicus*, 145 (1996) 119

Trade
The abalone market: Opportunities for cultured abalone, 140 (1996) 187

Transgenesis
A stable line of transgenic medaka (*Oryzias latipes*) carrying the CAT gene, 143 (1996) 267

Trap ponds
Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Treatment
The evaluation of two treatments to reduce mud worm (*Polydora hoplura* Claparède) infestation in commercially reared oysters (*Crassostrea gigas* Thunberg), 141 (1996) 31

T. rendalli
The use of napier grass (*Pennisetum purpureum*) and maize (*Zea mays*) bran as low-cost tilapia aquaculture inputs, 146 (1996) 101

Tridacna crocea
Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef, 141 (1996) 25

Tridacna gigas
Limitations in the genetic variation of hatchery produced batches of the giant clam, *Tridacna gigas*, 139 (1996) 225

Tridacna squamosa
Survival and growth of juvenile fluted giant clams, *Tridacna squamosa*, in large-scale grow-out trials in the Solomon Islands, 148 (1997) 85

Triploidy
All-triploid Pacific oysters (*Crassostrea gigas* Thunberg) produced by mating tetraploids and diploids, 142 (1996) 149

Performance of diploid and triploid Manila clams (*Tapes philippinarum*, Adams and Reeve) at various levels of tidal exposure in the UK and in water from fish ponds at Eilat, Israel, 141 (1996) 159

Trochus niloticus
Improved method of determining the sex of the marine topshell, *Trochus niloticus* (Mollusca: Gastropoda) for spawning, 139 (1996) 329

Trophic chain
Tetraselmis suecica cultured in different nutrient concentrations varies in nutritional value to *Artemia*, 143 (1996) 197

Tropical
A review of the culture of tropical abalone with special reference to Thailand, 140 (1996) 159

Effect of stocking ratio on semi-intensive polyculture of *Colossoma macropomum* and *Oreochromis niloticus* in Honduras, Central America, 143 (1996) 291

Trout
Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, 142 (1996) 269

Economic viability and animal health regulation effects on a large scale trout hatchery, 143 (1996) 245

Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

Trout farm effluent
The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates, 147 (1996) 37

Trypsin
Presence of trypsin in distinctive body segments of leptocephalus larvae of Anguilliformes, 142 (1996) 237

Sea bass (*Dicentrarchus labrax*) larvae fed different *Artemia* rations: growth, pancreas enzymatic response and development of digestive functions, 139 (1996) 129

Trypsinogen
Formation of the diffuse pancreas and the development of digestive enzyme synthesis in larvae of the Japanese flounder *Paralichthys olivaceus*, 141 (1996) 267

Tuna orbital oil
Two novel *Artemia* enrichment diets containing polar lipid, 144 (1996) 339

Turbot
Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Ulva
Fish as potential biocontrollers of *Gracilaria* (Rhodophyta) culture, 145 (1996) 113

Urea
Comparison of nitrogenous losses in five teleost fish species, 141 (1996) 107

Nitrogenous excretion in *Macrobrachium rosenbergii* at different pH levels, 144 (1996) 155

Urine
Effect of excreta, blood and vitellus contamination on fertilisation success of *Oncorhynchus mykiss*, 141 (1996) 173

UV radiation
Fat cell necrosis syndrome in Atlantic halibut, *Hippoglossus hippoglossus* L., 144 (1996) 65

Variation
Season-, age-, and sex-related variation in the prevalence of bonamiasis in flat oysters (*Ostrea edulis* L.) on the south coast of Ireland, 144 (1996) 53

Viability
Allozyme heterozygosity, founder effect and fitness traits in a cultivated population of the European oyster, *Ostrea edulis*, 139 (1996) 203

Vibrio anguillarum
Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Pharmacokinetic study of oxytetracycline in healthy and vibriosis-infected ayu (*Plecoglossus altivelis*), 143 (1996) 33

***Vibrio* antigen**
Tissue location of *Vibrio* antigen delivered by immersion to tiger shrimp (*Penaeus monodon*), 145 (1996) 41

Vibrio harveyi
Biofilm formation by *Vibrio harveyi* on surfaces, 140 (1996) 241

***Vibrio* P1**
Development of a colony-blot ELISA assay using monoclonal antibodies to identify *Vibrio* P1 responsible for "brown ring disease": in the clam *Tapes philippinarum*, 146 (1996) 171

Vibrio salmonicida
Antibody response in Atlantic salmon (*Salmo salar*) against *Vibrio anguillarum* and *Vibrio salmonicida* O-antigens: Heritabilities, genetic correlations and correlations with survival, 145 (1996) 77

Visible implant
Evaluation of a fluorescent elastomer internal tag in juvenile and adult shrimp *Penaeus vannamei*, 139 (1996) 243

Vitamin C
Ascorbic acid metabolism in fish: is there a maternal effect on the progeny?, 147 (1996) 215

Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*), 143 (1996) 123

Vitellogenesis
A comparative study of the ovarian development in wild and pond-reared shrimp, *Penaeus kerathurus* (Forskål, 1775), 148 (1996) 63

Relationships between the expression of maternal behaviour and ovarian development in the mouthbrooding cichlid fish *Oreochromis Niloticus.*, 146 (1996) 261

VNN
Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV), 143 (1996) 15

Wastewater
Modelling thermal environment of a recirculating aquaculture facility, 139 (1996) 11

Water
Estimates of the significance of out-washing of oxytetracycline from sediments under Atlantic salmon sea-cages, 144 (1996) 17

Water chemistry
Comparison of channel catfish, *Ictalurus punctatus*, and fathead minnow, *Pimephales promelas*, production and water quality among a polyculture and two monoculture systems, 144 (1996) 177

Water quality
Effect of ozone treatment on amylases in seawater, 141 (1996) 77

Effects of water management practices on discharge of nutrients and organic matter from channel catfish (*Ictalurus punctatus*) ponds, 147 (1996) 57

Seaweed biofilters as regulators of water quality in integrated fish–seaweed culture units, 141 (1996) 183

The potential for integrated biological treatment systems in recirculating fish culture—A review, 139 (1996) 181

Weaning
Weaning of hatchery-reared greenback flounder (*Rhombosolea tapirina* Günther) from live to artificial diets: Effects of age and duration of the changeover period, 145 (1996) 171

Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency, 144 (1996) 251

Weight
Effect of *Perkinsus olseni* (Protozoa, Apicomplexa) on the weight of *Tridacna crocea* (Mollusca, Bivalvia) from Lizard Island, Great Barrier Reef, 141 (1996) 25

Western Mexico
Abundance and diversity of macrofauna (fish and decapod crustaceans) in *Penaeus vannamei* culture ponds in Western Mexico, 143 (1996) 61

White bass
Application of controlled-release, GnRHa-delivery systems in commercial production of white bass × striped bass hybrids (sunshine bass), using captive broodstocks, 140 (1996) 265

White-spot virus
DNA fragment of *Penaeus monodon* baculovirus PmNOBII gives positive in situ hybridization with white-spot viral infections in six penaeid shrimp species, 143 (1996) 23

White sturgeon
Rapid verification of meiotic gynogenesis and polyploidy in white sturgeon (*Acipenser transmontanus* Richardson), 147 (1996) 177

Wild-cultured
Fatty acids of wild and cultured *Penaeus vannamei* larvae from Ecuador, 142 (1996) 259

Wild fish
Fish culture in rainfed rice fields of northeast Thailand, 140 (1996) 295

Wrasse (Labridae)
Use of cleaner-wrasse (*Centrolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestations of *Caligus elongatus* Nordmann on farmed Atlantic salmon, 142 (1996) 11

X-ray
Skeletal deformities in larval, juvenile and adult stages of cultured gilthead sea bream (*Sparus aurata* L.), 141 (1996) 1

Yeast
Biochemical composition of new yeasts and bacteria evaluated as food for bivalve aquaculture, 143 (1996) 341

Food value of live yeasts and dry yeast-based diets fed to Sydney rock oyster *Saccostrea commercialis* spat, 145 (1996) 235

Yellowtail
Amino acid availability values for several protein sources for yellowtail (*Seriola quinqueradiata*), 146 (1996) 109